

OPEN


electric extractor

- cod. 11104000 - cod. 11104001 - cod. 11104002
- cod. 11104004 - cod. 11104005 - cod. 11104006
- cod. 11104008 - cod. 11104009 - cod. 11104010



TECHNICAL SPECIFICATIONS:

- Ideal for ventilation of small- to medium-sized rooms
- Ultra-thin front panel
- Made of UV-resistant ABS
- 7-blade fan
- Easy fastening with flat-head screws
- OPEN version that can be operated via a switch
- OPEN T version with adjustable timer option from 2 to 30 minutes
- OPEN TH version with adjustable timer option from 2 to 30 minutes and adjustable humidity sensor in the range of 60 to 90%
- Equipped with anti-insect mesh



DIMENSIONS

CODE	MODEL	A [mm]	B [mm]	C [mm]	Ø D [mm]	E [mm]
11104000	OPEN Ø 100	150	120	108	100	12
11104001	OPEN Ø 125	176	140	114	125	13
11104002	OPEN Ø 150	205	165	132	150	14
11104004	OPEN T Ø 100	150	120	108	100	12
11104005	OPEN T Ø 125	176	140	114	125	13
11104006	OPEN T Ø 150	205	165	132	150	14
11104008	OPEN TH Ø 100	150	120	108	100	12
11104009	OPEN TH Ø 125	176	140	114	125	13
11104010	OPEN TH Ø 150	205	165	132	150	14

TECHNICAL DATA

TECHNICAL SPECIFICATIONS	Ø 100	Ø 125	Ø 150
Power supply [V]	220		
Frequency [Hz]	50		
Power [W]	14	16	24
Absorbed current [A]	0,085	0,1	0,13
Protection rating	IP34		
Air flow rate [m³/h]	95	180	292
Air pressure [Pa]	35	55	86
Max sound level [dB(A)](*)	34	35	38
SPEED [RPM]	2300	2400	
Weight [kg]	0,58	0,75	1,13

(*) Sound pressure measured at 3 m in free field.

ITEMS

CODE	DESCRIPTION
11104000	"OPEN" ELECTRIC EXTRACTOR, Ø100
11104001	"OPEN" ELECTRIC EXTRACTOR, Ø125
11104002	"OPEN" ELECTRIC EXTRACTOR, Ø150
11104004	"OPEN T" ELECTRIC EXTRACTOR, Ø100
11104005	"OPEN T" ELECTRIC EXTRACTOR, Ø125
11104006	"OPEN T" ELECTRIC EXTRACTOR, Ø150
11104008	"OPEN TH" ELECTRIC EXTRACTOR, Ø100
11104009	"OPEN TH" ELECTRIC EXTRACTOR, Ø125
11104010	"OPEN TH" ELECTRIC EXTRACTOR, Ø150

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.