


OPTIMA CP

flat curve

- cod. SCD100137 - cod. 11106007 - cod. 11106008
- cod. 11106009 - cod. SCD100114 - cod. SCD100380
- cod. SCD100379 - cod. SCD100378 - cod. SCD100422
- cod. SCD100421 - cod. SCD100419 - cod. SCD100419BOX



TECHNICAL SPECIFICATIONS:

- High impact resistance plastic, recyclable
- Innovative design
- Ultra-fast interlocking fastening system
- Extremely high outer finish
- Heat shrink barcode packaging
- Paintable
- Operating temperature -20°C / +60°C
- Coloured operating temperature -20°C / +75°C

MODELS AVAILABLE:




WHITE



BLACK



ANTHRACITE
GREY



DIMENSIONS

CODE	MODEL	A [mm]	B [mm]	C [mm]
SCD100137	CP 35 - OPT W	35	28	65
11106007	CP 62 - OPT W	66	48	108
11106008	CP 75 - OPT W	78	58	120
11106009	CP 102 - OPT W	104	68	154
SCD100114	CP 135 - OPT W	140	84	203
SCD100419	CP 75 - OPT G	78	58	120
SCD100421	CP 102 - OPT G	104	68	154
SCD100422	CP 135 - OPT G	140	84	203
SCD100378	CP 75 - OPT B	78	58	120
SCD100379	CP 102 - OPT B	104	68	154
SCD100380	CP 135 - OPT B	140	84	203

ITEMS

CODE	DESCRIPTION
SCD100137	"OPTIMA CP" LINE FLAT ELBOW - WHITE - CP35OPT
11106007	"OPTIMA CP" LINE FLAT ELBOW - WHITE - CP62 OPT
11106008	"OPTIMA CP" LINE FLAT ELBOW - WHITE - CP75-OPT
11106009	"OPTIMA CP" LINE FLAT ELBOW - WHITE - CP102-OPT
SCD100114	"OPTIMA CP" LINE FLAT ELBOW - WHITE - CP135-OPT
SCD100380	"OPTIMA CP" LINE FLAT ELBOW - BLACK - CP135-OPT - CP135-OPT
SCD100379	"OPTIMA CP" LINE FLAT ELBOW - BLACK - CP102-OPT - CP102-OPT
SCD100378	"OPTIMA CP" LINE FLAT ELBOW - BLACK - CP75-OPT - CP75-OPT
SCD100422	"OPTIMA CP" LINE FLAT ELBOW - ANTHRACITE GREY - CP135-OPT
SCD100421	"OPTIMA CP" LINE FLAT ELBOW - ANTHRACITE GREY - CP102-OPT
SCD100419	"OPTIMA CP" LINE FLAT ELBOW - ANTHRACITE GREY - CP75-OPT
SCD100419BOX	"OPTIMA CP" LINE FLAT ELBOW - GREY - CP75-OPT - CUSTOMIZED BOX (BOX 144 pcs)

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.

