


OPTIMA T

standard duct

- cod. SCD100136 - cod. 11130062 - cod. 11130075
- cod. 11130100 - cod. SCD100123 - cod. SCD100146
- cod. SCD100147 - cod. SCD100148 - cod. SCD100622
- cod. SCD100621 - cod. SCD100620 - cod. SCD100197
- cod. SCD100198 - cod. SCD100199 - cod. SCD100610
- cod. SCD100611 - cod. SCD100612



TECHNICAL SPECIFICATIONS:

- Impact-resistant and UV-resistant plastic material
- Sharp-edged bottom
- Pre-punched slots for wall mounting
- Prepared for insertion of the mini pumps Easy Flow, Easy One, Aqua Split (only model T 75-OPT)
- Central closure with patented accidental anti-release
- Rounded cover
- Bar length 2 m
- Paintable with light-colored paints
- Operating temperature -20°C / +60°C

OPERATING TEMPERATURES

- Operating temperature -20°C / +60°C
- Coloured operating temperature -20°C / +75°C

MODELS AVAILABLE:




WHITE



ANTHRACITE
GREY



BLACK



DIMENSIONS

CODE	MODEL	A [mm]	B [mm]
SCD100136	T 35 - OPT W	32	28
11130062	T 62 - OPT W	62	46
11130075	T 75 - OPT W	74	56
11130100	T 102 - OPT W	100	66
SCD100123	T 135 - OPT W	135	82
SCD100146	T 75 - OPT G	74	56
SCD100147	T 102 - OPT G	100	66
SCD100148	T 135 - OPT G	135	82
SCD100620	T 75 - OPT G	74	56
SCD100621	T 102 - OPT G	100	66
SCD100622	T 135 - OPT G	135	82
SCD100197	T 75 - OPT B	74	56
SCD100198	T 102 - OPT B	100	66
SCD100199	T 135 - OPT B	135	82
SCD100610	T 75 - OPT B	74	56
SCD100611	T 102 - OPT B	100	66
SCD100612	T 135 - OPT B	135	82

ITEMS

CODE	DESCRIPTION
SCD100136	"OPTIMA T" T35 TRUNKING - 2 mt. long - WHITE - T35 -OPT
11130062	"OPTIMA T" T62 TRUNKING - 2 mt. long - WHITE - T62 -OPT
11130075	"OPTIMA T" T75 LINE TRUNKING - 2 mt. long - WHITE - T75 -OPT
11130100	"OPTIMA T" T102 LINE TRUNKING - 2 mt. long - WHITE - T102 -OPT
SCD100123	"OPTIMA T" T135 LINE TRUNKING - 2 mt. long - WHITE - T1352 -OPT
SCD100146	"OPTIMA T" T75 LINE TRUNKING - 2 mt. Long - ANTHRACITE GREY - T75 -OPT
SCD100147	"OPTIMA T" T102 LINE TRUNKING - 2 mt. Long - ANTHRACITE GREY - T102 -OPT
SCD100148	"OPTIMA T" T135 LINE TRUNKING - 2 mt. Long - ANTHRACITE GREY - T1352 -OPT
SCD100622	"OPTIMA T" T135 LINE TRUNKING - 2 mt. Long - ANTHRACITE GREY - T1352 -OPT
SCD100621	"OPTIMA T" T102 LINE TRUNKING - 2 mt. Long - ANTHRACITE GREY - T102 -OPT
SCD100620	"OPTIMA T" T75 LINE TRUNKING - 2 mt. Long - ANTHRACITE GREY - T75 -OPT
SCD100197	"OPTIMA T" T75 LINE TRUNKING - 2 mt. Long - BLACK - T75 -OPT - T75 -OPT
SCD100198	"OPTIMA T" T102 LINE TRUNKING - 2 mt. Long - BLACK - T102 -OPT - T102 -OPT
SCD100199	"OPTIMA T" T135 LINE TRUNKING - 2 mt. Long - BLACK - T1352 -OPT - T1352 -OPT
SCD100610	"OPTIMA T" T75 LINE TRUNKING - 2 mt. Long - BLACK - T75 -OPT - T75 -OPT
SCD100611	"OPTIMA T" T102 LINE TRUNKING - 2 mt. Long - BLACK - T102 -OPT - T102 -OPT
SCD100612	"OPTIMA T" T135 LINE TRUNKING - 2 mt. Long - BLACK - T1352 -OPT - T1352 -OPT

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.

