



Round flexible hose air inlet anti-static, antibacterial white colour

- cod. ACC600021 - cod. ACC600022



TECHNICAL SPECIFICATIONS

- Double-walled hose, smooth interior with antistatic, antibacterial and antifungal additives
- Corrugated outer wall with extra protection against UV rays
- White with high protection against UV rays
- Resistance to compression greater than 500N, according to standards EN61386-1/2008 and EN61386-2-4/2010, with 5% internal diameter deformation
- Limitations of use: -20°C / +60°C
- Reaction to fire classification: Euroclass E (UNI EN13501)
- Minimum bending radius: four times the outer diameter



DIMENSIONS

CODE	LENGTH [m]	Ø INNER (DI) [mm]	Ø OUTER (DE) [mm]
ACC600021	50	60	75
ACC600022	50	73	92

INSTALLATION

The pipes are suitable for installation and bracketing in wall spaces, inside thermal insulation, in suspended ceilings, inside technical compartments, in wall chasing, buried in a concrete slab according to crush resistance values or buried according to UNI ENV 1046.

Positioning is easy with sleeves and sealing gaskets (supplied separately) and no glue is required.

The constituent material of the pipe has a softening temperature of more than 130°C and a direct flame ignition temperature of more than 350°C. Care should be taken not to place the pipe in direct contact with surfaces above 60°C to ensure durability.

ACCESSORIES


Joint sleeve, elastomeric seals and protective caps at the ends. (Not included in the package).

handling and storage

It is recommended to use this product only in air conditioning and refrigeration systems.


FLOW RATE DIAGRAMS

COD. ACC600021



FLOW RATE DIAGRAMS

COD. ACC60022



ITEMS

CODE	DESCRIPTION
ACC600021	ANTISTATIC, ANTIBACTERIAL, AIR INLET FLEXIBLE ROUND HOSE, D. 75 - WHITE
ACC600022	ANTISTATIC, ANTIBACTERIAL, AIR INLET FLEXIBLE ROUND HOSE, D. 92 -WHITE

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.