


Delivery grille in white painted aluminium for low-prevalence ducted unit

- cod. PWC100096 - cod. PWC100097 - cod. PWC100098
- cod. PWC100099 - cod. PWC100066 - cod. PWC100043
- cod. PWC100044 - cod. PWC100055 - cod. PWC100057
- cod. PWC100058 - cod. PWC100059 - cod. PWC100060
- cod. PWC100062 - cod. PWC100042



DESCRIPTION

Delivery grille in white painted aluminium ideal for installation on plenum or directly on rectangular ducting in metal sheet.

The grille consists of a bezel and a double row of vertical and horizontal pitch 20 mm fins all individually adjustable.


Grilles wider than 500 have central reinforcement to increase their stiffness.

Installation height between 2.5 and 3.1 metres.


TECHNICAL SPECIFICATIONS:


- Made of white-painted aluminium
- Fastening by means of clips /magnet
- Individually adjustable horizontal and vertical flaps

Fixing to sheet metal plenum by magnets (supplied), 8 pcs.



Fixing to sheet metal ducting by clips (supplied), 4 pcs.





DIMENSIONS

CODE	INSTALLATION HOLE SIZE B [mm]	INSTALLATION HOLE SIZE A [mm]	EXTERNAL FRAME DIMENSIONS D [mm]	EXTERNAL FRAME DIMENSIONS C [mm]	BACK NECK DIMENSIONS F [mm]	BACK NECK DIMENSIONS E [mm]
PWC100096	665	160	702	197	650	145
PWC100097	865	160	902	197	850	145
PWC100098	1000	150	1037	187	985	135
PWC100099	1000	200	1037	237	985	185
PWC100066	1067	160	1104	197	1052	145
PWC100043	350	185	387	222	335	170
PWC100044	500	185	537	222	485	170
PWC100055	865	185	902	222	850	170
PWC100057	825	225	862	262	810	210
PWC100058	600	170	637	207	585	155
PWC100059	645	95	682	132	630	80
PWC100060	670	160	707	197	655	145
PWC100062	545	155	582	192	530	140

TECHNICAL DATA

CODE	FLOW RATE MIN - MAX (m³/h)	LWA [dB(A)] MIN - MAX	Dpt (Pa) MIN - MAX
PWC100096	580 - 1160	30 - 48	5 - 20
PWC100097	780 - 1570	31 - 50	5 - 20
PWC100098	990 - 1970	32 - 51	5 - 20
PWC100099	1320 - 2640	34 - 52	5 - 20
PWC100066	1320 - 2640	34 - 52	5 - 20
PWC100043	510 - 1030	29 - 48	5 - 20
PWC100044	650 - 1300	30 - 49	5 - 20
PWC100055	1500 - 2100	33 - 51	5 - 20
PWC100057	1190 - 2370	33 - 52	5 - 20
PWC100058	680 - 1360	30 - 49	5 - 20
PWC100059	380 - 760	28 - 46	5 - 20
PWC100060	680 - 1360	30 - 49	5 - 20
PWC100062	510 - 1030	29 - 48	5 - 20

ITEMS

CODE	DESCRIPTION
PWC100096	SUPPLY DIFFUSER HOLE665x160 IN WHITE PAINTED ALUMINUM FOR LOW PRESSURE DUCTABLE UNITS
PWC100097	SUPPLY DIFFUSER HOLE865x160 IN WHITE PAINTED ALUMINUM FOR LOW PRESSURE DUCTABLE UNITS
PWC100098	SUPPLY DIFFUSER HOLE1000x150 IN MATTE WHITE PAINTED ALUMINUM FOR LOW STATIC PRESSURE DUCTED UNITS
PWC100099	SUPPLY DIFFUSER HOLE1000x200 IN MATTE WHITE PAINTED ALUMINUM FOR LOW STATIC PRESSURE DUCTED UNITS
PWC100066	DELIVERY GRILLE DIM. HOLE 1067x160 IN PAINTED ALUMINIUM RAL 9010 W/CLIPS & CALAMITES FOR LOW-PRESSURE CHANNEL UNIT
PWC100043	ALUMINIUM SUPPLY GRILLE, POWDER PAINT FINISH WHITE 374 x 214mm
PWC100044	ALUMINIUM SUPPLY GRILLE, POWDER PAINT FINISH WHITE 524 x 214mm
PWC100055	SUPPLY GRILLE HOLE 865x185 IN ALUMINIUM FOR LOW HEAD DUCTED UNIT - WHITE
PWC100057	SUPPLY GRILLE HOLE 825x225 IN ALUMINIUM FOR LOW HEAD DUCTED UNIT - WHITE
PWC100058	SUPPLY GRILLE HOLE 600x170 IN ALUMINIUM FOR LOW HEAD DUCTED UNIT - WHITE
PWC100059	SUPPLY GRILLE HOLE 645x95 IN ALUMINIUM FOR LOW HEAD DUCTED UNIT - WHITE
PWC100060	SUPPLY GRILLE HOLE 670x600 IN ALUMINIUM FOR LOW HEAD DUCTED UNIT - WHITE
PWC100062	SUPPLY GRILLE HOLE 545x155 IN ALUMINIUM FOR LOW HEAD DUCTED UNIT - WHITE
PWC100042	ALUMINIUM SUPPLY GRILLE, POWDER PAINT FINISH WHITE 1067x160mm

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.