


# HTL

adjustable support triangle for flat roofs


- cod. FVD500002 - cod. FVD500003 - cod. FVD500004

- cod. FVD500005 - cod. FVD500006 - cod. FVD500007



## TECHNICAL SPECIFICATIONS:


- Material: EN AW 6060
- "L" profile 40 x 40
- Stainless steel screws



## DIMENSIONS

CODE	A [mm]	B (degrees)
FVD500002	1800	10° - 15° - 20°
FVD500003	1800	25° - 30° - 35°
FVD500004	2000	10° - 15° - 20°
FVD500005	2000	25° - 30° - 35°
FVD500006	2200	10° - 15° - 20°
FVD500007	2200	25° - 30° - 35°

## EXAMPLE OF INSTALLATION:



## ITEMS

CODE	DESCRIPTION
FVD500002	TRIANGOLO SUPPORTO PER TETTO PIANO HTL1800 10-15-20°
FVD500003	TRIANGOLO SUPPORTO PER TETTO PIANO HTL1800 25-30-35°
FVD500004	ADJUSTABLE TRIANGLE FOR FLAT ROOF HTL2000 10-15-20°
FVD500005	ADJUSTABLE TRIANGLE FOR FLAT ROOF HTL2000 25-30-35°
FVD500006	ADJUSTABLE TRIANGLE FOR FLAT ROOF HTL2200 10-15-20°
FVD500007	ADJUSTABLE TRIANGLE FOR FLAT ROOF HTL2200 25-30-35°

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.  
 Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.