




Smart Clima

Accessories for Air Conditioning

FLOOR SUPPORTS




SBP

FLOOR MOUNT WITH VIBRATION-DAMPERS FOR DRAIN PAN



4 feet model



6 feet model



6 MODELS

SBP 820x340 - Load 150 kg
SBP 980x390 - Load 150 kg
SBP 1100x550 - Load 150 kg

SBP 1250x390 - Load 170 kg
SBP 1300x550 - Load 170 kg
SBP 1400x550 - Load 180 kg

Available also
with heating cable

Width of
outdoor unit
min 400 mm
max 1340 mm

EMPIRE EVO 600

FLOOR STAND



EMPIRE EVO

FLOOR STAND



NEW



GREY version
available

Available with 2 or 3 crossbars

4 MODELS

Empire Evo 1300x600
Load 200 kg
Empire Evo 1550x600
Load 250 kg

Width of
outdoor unit
min 490 mm
max 1150 mm

9 MODELS

Empire Evo 440 - Load 100 kg
Empire Evo 480 - Load 150 kg
Empire Evo 550 - Load 200 kg

Width of
outdoor unit
min 325 mm
max 780 mm

MERCURY EVO

FLOOR STAND



FREEDOM EVO

FLOOR STAND



3 MODELS

Mercury 440 - Load 100 kg
Mercury 480 - Load 150 kg
Mercury 550 - Load 200 kg

Width of
outdoor unit
min 325 mm
max 780 mm

3 MODELS

Freedom 440 - Load 150 kg
Freedom 480 - Load 200 kg
Freedom 550 - Load 250 kg

Width of
outdoor unit
min 325 mm
max 780 mm



SPT2 TELESCOPIC FLOOR WALL BRACKET

MADE IN ITALY

SPT3 TELESCOPIC FLOOR STAND MINI-CHILLER

MADE IN ITALY



2 MODELS

SPT 300 - Load 150 kg
SPT 500 - Load 150 kg

Width of
outdoor unit
min 585 mm
max 750 mm

2 MODELS

SPT 300 - Load 150 kg
SPT 500 - Load 150 kg

Width of
outdoor unit
min 740 mm
max 940 mm

CONFIGURE BRACKETS AND SUPPORTS FOR EXTERNAL UNITS



On the website [tecnosystemi.com](https://www.tecnosystemi.com)

Automatically generate **quotes**
and **technical data sheet**
for the chosen products



ADJUSTABLE FOOT MOUNT

RUBBER VIBRATION DAMPER

NON-SLIP KNURLING
ADJUSTMENT

MATERIAL WITH HIGH
MECHANICAL STRENGTH

AVAILABLE IN THE
FOLLOWING COLOURS:
IVORY AND BLACK



AIR-CONDITIONING
FIXING HOLE

HOLE FOR
ADJUSTMENT KEY



ADJUSTMENT RING
HEIGHT: MIN. 100 - MAX. 140 MM

RUBBER SUPPORT
VIBRATION DAMPER

GENIUS 1000 FOOT MOUNT

MADE IN ITALY



2 MODELS

GENIUS 1000 - Load 1000 kg

GENIUS 1000R ADJUSTABLE FOOT MOUNT

MADE IN ITALY



6 MODELS

GENIUS 1000R - Load 1000 kg

GENIUS 1000R HIGH ARTICULATED LOW-HEIGHT FLOOR- STANDING FOOT

MADE IN ITALY



3 MODELS

Load 500 kg

GENIUS 1200R LARGE ADJUSTABLE FOOT MOUNT

MADE IN ITALY



1 MODEL

Load 1200 kg

GENIUS 1200R HIGH ARTICULATED ADJUSTABLE AND ARTICULATED LARGE FOOT MOUNT

MADE IN ITALY



1 MODEL

Load 500 kg

HERCLUES ADJUSTABLE FLOOR SUPPORT

MADE IN ITALY



4 MODELS

Load 2000 kg

HERCULES MODULAR 1-2-3 ADJUSTABLE SUPPORT SYSTEM

MADE IN ITALY



9 MODELS

Hercules Modular 1 - Load 8000 kg
Hercules Modular 2 - Load 12000 kg
Hercules Modular 3 - Load 16000 kg


GENIUS 1200 MODULAR HIGH ARTICULATED ADJUSTABLE SUPPORT SYSTEM

MADE IN ITALY



3 MODELS

Hercules Modular 1 - Load 2000 kg
Hercules Modular 2 - Load 3000 kg
Hercules Modular 3 - Load 4000 kg



INFINITY FLOOR SUPPORT WITH BLUE RIVER DRAIN PAN AND GENIUS 1000 FIXED FOOT



AVAILABLE WITH CABLE HEATING FROM 3 AND 6 M

Width of outdoor unit
min 400 mm
max 1000 mm



6 MODELS

LOAD 150 KG

INFINITY FLOOR SUPPORT WITH BLUE RIVER DRAIN PAN AND GENIUS 1000R ADJUSTABLE FOOT



AVAILABLE WITH CABLE HEATING FROM 3 AND 6 M

Width of outdoor unit
min 400 mm
max 1000 mm



6 MODELS

LOAD 150 KG

INFINITY FLOOR SUPPORT WITH BLUE RIVER DRAIN PAN AND SUELO MAXI ADJUSTABLE FOOT 450 - 600



AVAILABLE WITH CABLE HEATING FROM 3 AND 6 M

Width of outdoor unit
min 400 mm
max 1100 mm



9 MODELS

LOAD 150 - 190 KG

INFINITY FLOOR SUPPORT WITH BLUE RIVER AND EXTREME 100-8 BASES



AVAILABLE WITH CABLE HEATING FROM 3 AND 6 M

Width of outdoor unit
min 400 mm
max 1100 mm



9 MODELS

LOAD 150 - 190 KG

INFINITY FLOOR SUPPORT WITH BLUE RIVER AND 3 EXTREME 100-8 BASES



AVAILABLE WITH CABLE HEATING FROM 3 AND 6 M

Width of outdoor unit
min 400 mm
max 1100 mm



3 MODELS

LOAD 170 - 200 KG

SUELO BASES BY TECNOSYSTEMI

THE IDEAL BASE FOR ENSURING THE STABILITY, SAFETY AND DURABILITY OF YOUR INSTALLATIONS, WITH HIGH-QUALITY, INNOVATIVE SOLUTIONS.

When having the ensure stability and safety for your installations, it is fundamental to choose the right base.

The Tecnosystemi SUELO MAXI and MINI bases are the ideal solution: a strong, reliable base designed to safely support outdoor units, HVAC systems, air conditioners and other applications.

Made from high-quality materials with pioneering technologies, SUELO is weatherproof, durable and easy to install, even in complex situations. Its versatility makes it suited to different types of units, guaranteeing excellent stability and reducing the risks of vibrations or damage to nearby structures.



Shockproof



Anti-UVA



High-resistance



Top-Class Design



Made in PVC




From 140 to 400 Kg




Reduce the risk of vibrations in the outdoor unit

Moulded built-in back rubber vibration damping strips



SUELO MAXI

FLOOR BASE PAIR WITH
VIBRATION-DAMPER



4 MODELS

Suelo Maxi 350 - Load 140 kg
Suelo Maxi 450 - Load 180 kg
Suelo Maxi 600 - Load 240 kg
Suelo Maxi 1000 - Load 400 kg

CLOSING CAP



SUELO MAXI ECO

FLOOR BASE PAIR WITH
VIBRATION-DAMPER



4 MODELS


Suelo Maxi Eco 350 - Load 140 kg
Suelo Maxi Eco 450 - Load 180 kg
Suelo Maxi Eco 600 - Load 240 kg
Suelo Maxi Eco 1000 - Load 400 kg

CLOSING CAP



SUELO MINI

FLOOR BASE PAIR WITH
VIBRATION-DAMPER



4 MODELS


Suelo Mini 330 - Load 90 kg
Suelo Mini 400 - Load 130 kg
Suelo Mini 470 - Load 180 kg
Suelo Mini 1000 - Load 300 kg

CLOSING CAP



SUELO MINI ECO

FLOOR BASE PAIR WITH
VIBRATION-DAMPER



4 MODELS

Suelo Mini 330 - Load 90 kg
Suelo Mini 400 - Load 130 kg
Suelo Mini 470 - Load 180 kg
Suelo Mini 1000 - Load 300 kg

CLOSING CAP



WIDE RANGE OF ANTIVIBRATION



Tecosystemi S.p.A. Società Benefit

PLANT 1 – Via dell'Industria, 2/4 | PLANT 2 – Via Caduti del Lavoro, 7 | PLANT 3 – Via Caduti del Lavoro, 5

Z.i. San Giacomo di Veglia - 31029 Vittorio Veneto (TV)

Tel. +39 0438.500044 | info@tecosystemi.com | www.tecosystemi.com

C.F. - P.IVA - R.I. TV IT02535780247 - Cap. Soc. € 5.000.000,00 i.v.

