

## product details

static extractor unit wall-mounted heat recovery and  
with external or built-in power supply - Comfort

PICO HP2 WI-C

COD. ACD100007 - ACD100008 - ACD100009 - ACD100010 -  
ACD100011 - ACD100012 - ACD100048 - ACD100049 - 11161370T




PICO<sup>wi</sup>  
HP2-C

## TECHNICAL SPECIFICATIONS:

- For wall installation
- Panel thickness from the wall 35 mm
- Available with flow rates from 30 to 100 m<sup>3</sup>/h
- Wi-Fi control mode (offline)
- Humidity threshold can be set to 3 different values: 40 - 50 - 60%
- Heat exchanger made of high-efficiency ceramic
- Hole on wall Ø 103 - 128 - 153 - 204 mm
- Built-in grade G2 filters
- Fan with low energy consumption
- Suitable for continuous operation

## DIMENSIONS



CODE	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	Ø [mm]
ACD100007	250	35	86	500	154	103
ACD100008	250	35	101	500	186	128
ACD100009	250	35	101	500	186	153
ACD100010	250	35	86	500	154	103
ACD100011	250	35	101	500	186	128
ACD100012	250	35	101	500	186	153

**Tecnosystemi S.p.A. - Società Benefit**  
via dell'Industria, 2/4 - Z.I. San Giacomo di Veglia 31029  
Vittorio Veneto (Treviso) - Italia  
Tel +39 0438.500044 - Fax +39 0438.501516  
email: [info@tecnosystemi.com](mailto:info@tecnosystemi.com)

Numero Verde  
**800 904474** ONLY FOR ITALY

C.F. - P. IVA - R.I.TV IT02535780247 Cap. Soc. € 5.000.000,00 i.v.

Tecnosystemi  
group



[www.tecnosystemi.com](http://www.tecnosystemi.com)

CODE	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	Ø [mm]
ACD100048	250	35	50	500	225	204
ACD100049	250	35	50	500	225	204
11161370T						

MODEL	PICO HP2 30 WI			PICO HP2 55 WI			PICO HP2 80 WI			PICO HP2 100 WI	PICO HP2 100	
	min. 1	med. 2	max. 3	min. 1	med. 2	max. 3	min. 1	med. 2	max. 3	min. 1	med. 2	max. 3
Supply voltage [V]	230											
Power [W]	1,3	1,4		1,3	1,6	2,2	1,7	2,6	3,6	6,6	7,7	8,4
Maximum current consumed [mA]	38	42	47	65,5	73	81	162	180	200	550	640	700
Air flow rate [m³/h]	23	25	28	23	35	46	39	64	74	70	81	91
RPM	1863	2070	2300	2106	2340	2600	2350	2610	2900	3395	4070	4500
Sound pressure level 1 m [dB(A)]	32	33	34	29	33	40	33	41	46		48	50
Air temperature [°C]	From -20 to +50									Da -20 a +50		
Regenerator efficiency	≤90%											
Material exchanger pack	Ceramic									Ceramica		
Pipe dimensions [mm]	Ø 103			Ø 128			Ø 153			Ø 204		
Protection rating [IP]	24											

**Tecnosystemi S.p.A. - Società Benefit**  
via dell'Industria, 2/4 - Z.I. San Giacomo di Veglia 31029  
Vittorio Veneto (Treviso) - Italia  
Tel +39 0438.500044 - Fax +39 0438.501516  
email: [info@tecnosystemi.com](mailto:info@tecnosystemi.com)

Numero Verde  
**800 904474** ONLY FOR ITALY

C.F. - P. IVA - R.I.TV IT02535780247 Cap. Soc. € 5.000.000,00 i.v.

product details - PICO HP2 WI-C

## ITEMS

CODE	DESCRIPTION
ACD100007	"COMFORT - PICO HP2 30 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W/ EXTERNAL POWER SUPPLY
ACD100008	"COMFORT - PICO HP2 55 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W/ EXTERNAL POWER SUPPLY
ACD100009	"COMFORT - PICO HP2 80 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W/ EXTERNAL POWER SUPPLY
ACD100010	"COMFORT - PICO HP2 30 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W / BUILT -IN POWER SUPPLY
ACD100011	"COMFORT - PICO HP2 55 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W / BUILT -IN POWER SUPPLY
ACD100012	"COMFORT - PICO HP2 80 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W / BUILT -IN POWER SUPPLY
ACD100048	"PICO HP2 1000 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W/ EXTERNAL POWER SUPPLY
ACD100049	"PICO HP2 1000 WI-C" WALL-MOUNTED CROSS FLOW STATIC INTAKE/EXTRACTOR FAN WITH HEAT RECOVERY,EQUIPPED W/ BUILT-IN POWER SUPPLY
11161370T	TT 200 PIPE WITH DEFLECTOR (Ø 200 - LENGTH 1500)

**Tecnosystemi S.p.A. - Società Benefit**  
via dell'Industria, 2/4 - Z.I. San Giacomo di Veglia 31029  
Vittorio Veneto (Treviso) - Italia  
Tel +39 0438.500044 - Fax +39 0438.501516  
email: [info@tecnosystemi.com](mailto:info@tecnosystemi.com)

Numero Verde  
**800 904474** ONLY FOR ITALY

C.F. - P. IVA - R.I.TV IT02535780247 Cap. Soc. € 5.000.000,00 i.v.

product details - PICO HP2 WI-C

**Tecnosystemi**  
group



[www.tecnosystemi.com](http://www.tecnosystemi.com)