


CATALOGUE NEWS 2025



Smart Clima

Accessories for Air Conditioning



Apply Air

Air Curtains and Accessories



Apply.Co

Mechanical Controlled Ventilation



Galaxy

Multi-Zone Air Control System



Project Wind

Ventilation Solutions



Toolsplit

Instruments & Tools



Showgas

Heating Products



FV Power

Photovoltaic Fixing Elements

www.tecnosystemi.com

INDEX



Smart Clima

Accessories for Air Conditioning

Page 18



Apply.Co

Mechanical Controlled Ventilation

Page 38



Galaxy

Multi-Zone Air Control System

Page 41



Project Wind

Ventilation Solutions

Page 43



Toolsplit

Instruments & Tools

Page 50

TECNOSYSTEMI'S HISTORY OF VALUE



1992

THE FIRST TECNOSYSTEMI IS FOUNDED

Officially established in 1992, the company began its journey at its first location in Susegana.



2002

TRANSFER TO VITTORIO VENETO


Tecnosystemi moved to a 33,000 square metre site in the industrial area of Vittorio Veneto, after changing the plant location twice.



2017

PHOTOVOLTAIC SYSTEM INSTALLATION 500 kW

In 2017, when renovating the old warehouses, the company decided to install a 500 Kw photovoltaic system on the entire roof surface, creating a system that covers the energy needs of production without producing harmful emissions.



1996

THE TRANSITION TO A MANUFACTURING COMPANY

One of the first major transformations led the company to begin a virtuous path that is still evolving today.



2003

A STRATEGIC CHANGE OF PERSPECTIVE TOWARDS THE FUTURE

The company evolves into the current company structure marking its definitive take-off.



2020

TECNOSYSTEMI REDESIGNS THE HEADQUARTERS

The headquarters were redesigned, modernising the outdated building that was not in keeping with the company's vision.



2022

COMPLETION OF THE PHOTOVOLTAIC SYSTEM

At the beginning of 2022, the photovoltaic system was completed, which with its 1.2 MW output covers 85% of Tecnosystemi's production requirements.



2019

EXTENSION OF THE PRODUCTION PLANT

Facing major business developments, and choosing to internalise more and more production processes, an extension of around 6,000 m² was required, and the production plant now covers over 19,000 m²



2021

TECNOSYSTEMI BECOMES A BENEFIT COMPANY

The company becomes a Benefit Company: by redefining its corporate purpose, it makes a firm commitment to making a positive impact on the environment and the community, effectively continuing a journey that began years earlier.



2023

A NEW PRODUCTION PLANT

With continued growth and a vision always open to large projects, Tecnosystemi expands with the acquisition of another new 12,000 m² plant on a 25,500 m² site in December 2022. The energy transition continues with the expansion of the photovoltaic system on the company's two plants for a total installed capacity of 1.6 MW.

HIGHLIGHTS



THE GROUP

over **30**
years of business
experience

8
brands

18,781,525
pieces produced in 2024 only

6,434
catalogue items



2
production
plants


32,000 sqm
total production area

5
days lead time



PEOPLE

200
direct and indirect
employees




4,000
training hours
provided in 2023




THE SUPPLY CHAIN

+300
suppliers of goods
and services




77 %
Italian suppliers

41 %
suppliers from
Veneto



THE ENVIRONMENT


4,806
panels installed



1.6 MW
total installed power

49 %
electricity used in the
company comes from
renewable sources

-22 %
emissions per piece
produced in 2023
compared to 2022



OUR CERTIFICATIONS




* See the certified
wall brackets



PRODUCTION COMPANY







PRODUCTION COMPANY

PLANT 1



PLANT 2



A NEW DEVELOPMENT MODEL: WHEN SUSTAINABILITY BECOMES A RESPONSIBILITY

Civil responsibility and transparency are our core values, underpinning a model of entrepreneurship that looks beyond the confines of the company to embrace a civil duty, caring for people, the land, the environment and the community.

A new way of working and being a company, with a defined and precise role, which led us to decide to become a Benefit Company in order to go beyond the word “sustainability”. A solid commitment that began with an important choice: the change of our company name and Articles of Association. We chose the **Benefit Company** model because we believe that our stakeholders need clarity and facts. Actions that must be thought out, planned and shared. We cannot do business without considering our impacts, of which we are absolutely responsible for and aware of.

We decided to focus our business on four key topics, known as purposes of common good, which we measure, disclose and report every year with facts and figures to correctly engage our various stakeholders.






**OUR
GREATEST
VALUE
IS OUR TEAM**

MANAGEMENT SYSTEMS, CERTIFICATIONS, ITALIAN MANUFACTURING.



Through investments in new technologies, the continuous improvement of our processes and the enhancement of skills, our research and development division develops high-quality, functional and cutting-edge products.

Supporting these processes, we launched a programme of progressive implementation of **management systems certified by external bodies**.

The basis is the **ISO 9001:2015** system, which guarantees a **well-organised business structure** that is improved continuously.

With the **ISO 45001:2018** certification for **health and safety**, we have structured a safe working environment that has the interests of all our people at heart.

Increasingly attentive to environmental impacts, we have begun to implement an **environmental management system** conforming to standard **UNI EN ISO 14001:2015**, but in addition, from 2024 we use **energy** produced exclusively by our **photovoltaic panels** and we purchase energy **only from 100% renewable sources**.

In terms of our production, we have selected some products for **TÜV SÜD certification**, which offers a further guarantee of quality and safety for installation.

Furthermore, having completed the LCA analysis on several core-business product lines, we have begun **EPD certification**, in accordance with the key strategic commercial international certification analysis standard, which should be completed in 2025

OUR CERTIFICATIONS



*See the certified wall brackets

WE ARE AN ITALIAN EXCELLENCE, CERTIFIED BY ITALYx



In November 2024, we obtained a major certification that celebrates our commitment to representing and **promoting Italian manufacturing** throughout the production chain, which acknowledges our ability to conceive, design and innovate in line with the distinctive features of Italian tradition.

The certification is awarded on the basis of a very strict technical specification set by **Il Sole 24 Ore**, and audited by **Bureau Veritas**, an independent certification agency. The main requirements and parameters certifying the Italian excellence of its products include: **design, production, ownership and R&D in Italy; high standards of style and creativity; Italian suppliers and subcontractors; Italian patents.**

THE VALUE OF CERTIFICATION



Recognition
of quality



International
visibility



Enhancing Italian
excellence



Committed to innovation

A CONSCIOUS STUDY, TO RETHINK OUR PACKAGING.

Did you know that 95% of the packagings we use are made from renewable materials?

Our sustainable innovation is based on research into solutions that generate **the least possible environmental impact**, including the packaging we use to pack and ship our products. Precisely for this purpose, we have launched an assessment of our packaging materials, choosing to redesign our packaging by preferring recyclable materials and **water- or soy-based inks**, which are safer and less polluting as they contain no solvents and need less energy to dry than common inks.

Packaging that respects the planet and consciously respects our future.



WE USE 100% GREEN-CERTIFIED RENEWABLE ENERGY



From this year, all the electricity that is not produced by our photovoltaic plants comes from other renewable sources.

We respect the environment using only energy produced from renewable sources, including water, sun, wind and geothermal, certified by the “guarantee of origin” system run by the energy services manager, in accordance with Directive (EC) 2009/28/EC.



WE NEVER STOP IMPROVING: OUR EPD CERTIFICATION PATH.



EPDs - Environmental Product Declarations - are transparency documents that inform of our commitment to measuring environmental impacts linked to our production activities, describing them clearly and precisely.

The process is structured into various phases, is based on international standards and considers the whole product life cycle.

This year we launched our **first EPD certification on duct lines and Excellens and Optima white accessories**, quantifying the energy and natural resources used in the production and distribution processes, the CO₂ emissions into the atmosphere, the materials used for packaging and the waste generated.

Scan the QR Code to keep up-to-date on our EPD-certified products.



THE 5 EPD DEVELOPMENT PHASES



PCR verification



Life Cycle Assessment



Drafting



Accreditation



Registration and publication

NEW INNOVATIVE MATERIAL FOR AN EXTRAORDINARY RESULT

Trunkings and accessories made
in PVC and plastic material



Patented model



Anti UV rays



Reach certifications



High resistance



Eco-friendly material



Shockproof



Operating temperature
-20°C/+75°C



excellens

Optima

MADE IN ITALY



EXCELLENS TMR

MADE IN ITALY

WALL-MOUNTED TERMINAL, ROUND

EXTRÉMITÉ MURALE RONDE

RUNDER WANDABSCHLUSS



THE IDEAL SOLUTION TO COVER UP ERRORS DURING WALL CORING OPERATIONS

Large outer flange with an innovative round shape

| MODEL | TOP LINE | NEW LINE | ECO LINE | BROWN LINE | BLACK LINE | GREY LINE | M.U. | Multiple order M.U. |
|-------------|-----------|-----------|-----------|------------|------------|-----------|------|---------------------|
| | CODE | CODE | CODE | CODE | CODE | CODE | | |
| TMR 60-EXC | SCD100274 | SCD100280 | SCD100286 | SCD100292 | SCD100298 | SCD100304 | PCS | 5 |
| TMR 72-EXC | SCD100276 | SCD100282 | SCD100288 | SCD100294 | SCD100300 | SCD100306 | PCS | 5 |
| TMR 100-EXC | SCD100278 | SCD100284 | SCD100290 | SCD100296 | SCD100302 | SCD100308 | PCS | 3 |

EXCELLENS TMQ

MADE IN ITALY

WALL-MOUNTED TERMINAL, SQUARE

EXTRÉMITÉ MURALE CARRÉE

QUADRATISCHER WANDABSCHLUSS



TOP LINE NEW LINE ECO LINE
AVAILABLE FROM FEBRUARY 2025

BROWN LINE BLACK LINE GREY LINE
AVAILABLE FROM MARCH 2025

| MODEL | TOP LINE | NEW LINE | ECO LINE | BROWN LINE | BLACK LINE | GREY LINE | M.U. | Multiple order M.U. |
|-------------|-----------|-----------|-----------|------------|------------|-----------|------|---------------------|
| | CODE | CODE | CODE | CODE | CODE | CODE | | |
| TMQ60-EXC | SCD100273 | SCD100279 | SCD100285 | SCD100291 | SCD100297 | SCD100303 | PCS | 5 |
| TMQ 72-EXC | SCD100275 | SCD100281 | SCD100287 | SCD100293 | SCD100299 | SCD100305 | PCS | 5 |
| TMQ 100-EXC | SCD100277 | SCD100283 | SCD100289 | SCD100295 | SCD100301 | SCD100307 | PCS | 3 |

KMF



 **MADE IN ITALY**

 **FLEXIBLE SLEEVE KIT FOR EXCELLENS DUCT**

 **KIT MANCHON FLEXIBLE POUR GOULOTTE EXCELLENS**

 **BAUSATZ FLEXIBLE MUFFE FÜR KANAL EXCELLENS**



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|---|
| SCD100566 | KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 72-EXC WHITE + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm | KIT | 1 |
| SCD100567 | KMF - FLEXIBLE SLEEVE KIT EXCELLENS MgF 72-EXC BLACK + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm | KIT | 1 |
| SCD100568 | KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 72-EXC GREY + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm | KIT | 1 |
| SCD100569 | KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 100-EXC WHITE + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm | KIT | 1 |
| SCD100570 | KMF - FLEXIBLE SLEEVE KIT EXCELLENS MgF 100-EXC BLACK + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm | KIT | 1 |
| SCD100571 | KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 100-EXC GREY + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm | KIT | 1 |

MGF



 **MADE IN ITALY**

 **FLEXIBLE SLEEVE FOR EXCELLENS DUCT**

 **MANCHON DE JONCTION FLEXIBLE POUR GOULOTTE EXCELLENS**

 **FLEXIBLE ANSCHLUSSMUFFE FÜR KANAL EXCELLENS**



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| SCD100584 | MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 72-EXC PVC WHITE | PCS | 1 |
| SCD100585 | MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 72-EXC PVC BLACK | PCS | 1 |
| SCD100586 | MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 72-EXC PVC GREY | PCS | 1 |
| SCD100587 | MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 100-EXC PVC WHITE | PCS | 1 |
| SCD100588 | MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 100-EXC BLACK | PCS | 1 |
| SCD100589 | MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 100-EXC PVC GREY | PCS | 1 |

KRT




MADE IN ITALY

ROUND TERMINAL KIT WITH FLEXIBLE HOSE AND EXTERNAL FITTING IN ANTI-UV RUBBER

KIT ROSACE ESTHÉTIQUE RONDE AVEC TUBE FLEXIBLE ET RACCORD DE RACCORDEMENT UNITÉ EXTERNE EN CAOUTCHOUC ANTI-UV

RUNDES DESIGN TERMINAL KIT MIT SCHLAUCH UND ANSCHLUSS FÜR AUSSENGERÄT AUS UV-BESTÄNDIGEM GUMMI



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. | Multiple order M.U. |
|-----------|--|------|---------------------|
| SCD100551 | KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm - WHITE | KIT | 1 |
| SCD100552 | KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm BLACK | KIT | 1 |
| SCD100553 | KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm GREY | KIT | 1 |
| SCD100557 | KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm - WHITE | KIT | 1 |
| SCD100558 | KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm BLACK | KIT | 1 |
| SCD100559 | KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm GREY | KIT | 1 |

RET



MADE IN ITALY

ROUND TERMINAL FOR FLEXIBLE HOSE Ø 60 / 80 MM

ROSACE ESTHÉTIQUE RONDE POUR TUBE FLEXIBLE Ø 60 / 80 MM

RUNDES DESIGN TERMINAL FÜR SCHLAUCH Ø 60 / 80 MM



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. | Multiple order M.U. |
|-----------|---|------|---------------------|
| SCD100575 | RET - ROUND TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - WHITE | PCS | 1 |
| SCD100576 | RET - ROUND TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm BLACK | PCS | 1 |
| SCD100577 | RET - ROUND TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm GREY | PCS | 1 |
| SCD100581 | RET - ROUND TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - WHITE | PCS | 1 |
| SCD100582 | RET - ROUND TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm BLACK | PCS | 1 |
| SCD100583 | RET - ROUND TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm GREY | PCS | 1 |

KRQ




 **MADE IN ITALY**

 **SQUARE AESTHETIC TERMINAL KIT WITH FLEXIBLE HOSE AND EXTERNAL UNIT CONNECTION FITTING IN ANTI-UV RUBBER**

 **KIT ROSACE ESTHÉTIQUE CARRÉE AVEC TUBE FLEXIBLE ET RACCORD DE RACCORDEMENT UNITÉ EXTERNE EN CAOUTCHOUC ANTI-UV**

 **QUADRATISCHES DESIGN TERMINAL KIT MIT SCHLAUCH UND ANSCHLUSS FÜR AUSSENGERÄT AUS UV-BESTÄNDIGEM GUMMI**



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| SCD100548 | KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm WHITE | KIT | 1 |
| SCD100549 | KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm BLACK | KIT | 1 |
| SCD100550 | KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm GREY | KIT | 1 |
| SCD100554 | KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm WHITE | KIT | 1 |
| SCD100555 | KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm BLACK | KIT | 1 |
| SCD100556 | KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm GREY | KIT | 1 |

REQ



 **MADE IN ITALY**

 **SQUARE TERMINAL FOR FLEXIBLE HOSE Ø 60 / 80 MM**

 **ROSACE ESTHÉTIQUE CARRÉE POUR TUBE FLEXIBLE Ø 60 / 80 MM**

 **QUADRATISCHES DESIGN TERMINAL FÜR SCHLAUCH Ø 60 / 80 MM**



AVAILABLE FROM APRIL 2025

With screws supplied

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|---|
| SCD100572 | RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - WHITE | PCS | 1 |
| SCD100573 | RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm BLACK | PCS | 1 |
| SCD100574 | RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm GREY | PCS | 1 |
| SCD100578 | RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - WHITE | PCS | 1 |
| SCD100579 | RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm BLACK | PCS | 1 |
| SCD100580 | RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm GREY | PCS | 1 |

RCG



 **CONNECTION FITTING FOR OUTDOOR UNIT IN RUBBER**
ø 60/80 MM

 **RACCORD DE RACCORDEMENT UNITÉ EXTERNE EN CAOUTCHOUC**
ø 60/80 MM

 **ANSCHLUSS FÜR AUSSENGERÄT AUS GUMMI**
ø 60/80 MM



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|---|
| SCD100602 | RCG - CONNECTION FITTING 70 EXTERNAL RUBBER UNIT - INNER DIAMETER 60 mm - WHITE | PCS | 1 |
| SCD100603 | RCG - CONNECTION FITTING 70 EXTERNAL RUBBER UNIT - INNER DIAMETER 60 mm BLACK | PCS | 1 |
| SCD100604 | RCG - CONNECTION FITTING 70 EXTERNAL RUBBER UNIT - INNER DIAMETER 60 mm GREY | PCS | 1 |
| SCD100605 | RCG - CONNECTION FITTING 100 EXTERNAL RUBBER UNIT - INNER DIAMETER 80 mm - WHITE | PCS | 1 |
| SCD100606 | RCG - CONNECTION FITTING 100 EXTERNAL RUBBER UNIT - INNER DIAMETER 80 mm BLACK | PCS | 1 |
| SCD100607 | RCG - CONNECTION FITTING 100 EXTERNAL RUBBER UNIT - INNER DIAMETER 80 mm GREY | PCS | 1 |

TFPT



 **FLEXIBLE HOSE PROTECTION FOR HOSES**

 **TUBE FLEXIBLE DE PROTECTION DES TUBES**

 **SCHUTZSCHLAUCH FÜR SCHLÄUCHE**



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | DIAMETER PIPE | M.U. |  Multiple order M.U. |
|-----------|---|---------------|------|---|
| SCD100596 | TFPT - FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - 10 meters - WHITE | 60 | PCS | 1 |
| SCD100597 | TFPT - FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - 10 meters - BLACK | 60 | PCS | 1 |
| SCD100598 | TFPT - FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - 10 meters - GREY | 60 | PCS | 1 |
| SCD100599 | TFPT - FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - 10 meters - WHITE | 80 | PCS | 1 |
| SCD100600 | TFPT - FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - 10 meters - BLACK | 80 | PCS | 1 |
| SCD100601 | TFPT - FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - 10 meters - GREY | 80 | PCS | 1 |

KA

 **MADE IN ITALY**

 **TEAR-PROOF KIT**

 **KIT ANTI-DÉCHIRURE**

 **REISSFESTE
WANDDURCHFÜHRUNG**



| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|--|
| SCD100262 | KA TEAR-PROOF KIT WHITE COLOUR WHITE 1000 mm | KIT | 1 |
| SCD100263 | KA TEAR-PROOF KIT WHITE COLOUR IVORY 1000 mm | KIT | 1 |

KARFE

 **MADE IN ITALY**

 **UNIVERSAL
TEAR-PROOF KIT PLUS FINISH
FLANGE**

 **KIT UNIVERSEL ANTI-
DÉCHIRURE PLUS BRIDE
DE FINITION**

 **REISSFESTE
WANDDURCHFÜHRUNG MIT
VEREDELUNGSFLASCH**



| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|--|
| SCD100264 | KARFE UNIVERSAL TEAR-PROOF KIT PLUS FINISH FLANGE WHITE COLOUR L.500 | KIT | 1 |



OPTIMA TMR

 MADE IN ITALY

 WALL-MOUNTED TERMINAL, ROUND

 EXTRÉMITÉ MURALE RONDE

 RUNDER WANDABSCHLUSS



THE IDEAL SOLUTION TO COVER UP ERRORS DURING WALL CORING OPERATIONS

Large outer flange with an innovative round shape

| MODEL | PURE WHITE | ANTHRACITE GREY | DEEP BLACK | M.U. |  Multiple order M.U. |
|---------------|------------|-----------------|------------|------|---|
| | CODE | CODE | CODE | | |
| TMR 62 - OPT | SCD100244 | SCD100252 | SCD100265 | PCS | 5 |
| TMR 75 - OPT | SCD100245 | SCD100253 | SCD100266 | PCS | 5 |
| TMR 102 - OPT | SCD100246 | SCD100254 | SCD100267 | PCS | 3 |
| TMR 135 - OPT | SCD100247 | SCD100255 | SCD100268 | PCS | 3 |

OPTIMA TMQ

 MADE IN ITALY

 WALL-MOUNTED TERMINAL, SQUARE

 EXTRÉMITÉ MURALE CARRÉE

 QUADRATISCHER WANDABSCHLUSS



WHITE PURE
AVAILABLE FROM FEBRUARY 2025

BLACK DEEP GREY ANTHRACITE
AVAILABLE FROM MARCH 2025

| MODEL | NEW LINE | ECO LINE | BROWN LINE | BLACK LINE | GREY LINE | M.U. |  Multiple order M.U. |
|-------------|-----------|-----------|------------|------------|-----------|------|---|
| | CODE | CODE | CODE | CODE | CODE | | |
| TMQ60-EXC | SCD100279 | SCD100285 | SCD100291 | SCD100297 | SCD100303 | PCS | 5 |
| TMQ 72-EXC | SCD100281 | SCD100287 | SCD100293 | SCD100299 | SCD100305 | PCS | 5 |
| TMQ 100-EXC | SCD100283 | SCD100289 | SCD100295 | SCD100301 | SCD100307 | PCS | 3 |

KMGF



 **MADE IN ITALY**

 **FLEXIBLE SLEEVE KIT FOR OPTIMA DUCT**

 **KIT MANCHON FLEXIBLE POUR GOULOTTE OPTIMA**

 **BAUSATZ FLEXIBLE MUFFE FÜR KANAL OPTIMA**



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| SCD100560 | KIT OPTIMA FLEXIBLE SLEEVE MGF 75-OPT WHITE + FLEX DIAMETER 60 | KIT | 1 |
| SCD100561 | KIT FLEXIBLE SLEEVE OPTIMA MGF 75-OPT BLACK + FLEX DIAMETER 60 | KIT | 1 |
| SCD100562 | KIT FLEXIBLE SLEEVE OPTIMA MGF 75-OPT GREY + FLEX DIAMETER 60 | KIT | 1 |
| SCD100563 | KIT OPTIMA FLEXIBLE SLEEVE MGF 102-OPT WHITE + FLEX DIAMETER 80 | KIT | 1 |
| SCD100564 | KIT FLEXIBLE SLEEVE OPTIMA MGF 102-OPT BLACK + FLEX DIAMETER 80 | KIT | 1 |
| SCD100565 | KIT FLEXIBLE SLEEVE OPTIMA MGF 102-OPT GREY + FLEX DIAMETER 80 | KIT | 1 |

MGFO



 **MADE IN ITALY**

 **FLEXIBLE SLEEVE FOR OPTIMA DUCT**

 **MANCHON DE JONCTION FLEXIBLE POUR GOULOTTE OPTIMA**

 **FLEXIBLE ANSCHLUSSMUFFE FÜR KANAL OPTIMA**




AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|---|
| SCD100590 | OPTIMA FLEXIBLE SLEEVE MGF 75-OPT PVC WHITE | PCS | 1 |
| SCD100591 | OPTIMA FLEXIBLE SLEEVE MGF 75-OPT PVC BLACK | PCS | 1 |
| SCD100592 | OPTIMA FLEXIBLE SLEEVE MGF 75-OPT PVC GREY | PCS | 1 |
| SCD100593 | OPTIMA FLEXIBLE SLEEVE MGF 102-OPT PVC WHITE | PCS | 1 |
| SCD100594 | OPTIMA FLEXIBLE SLEEVE MGF 102-OPT PVC BLACK | PCS | 1 |
| SCD100595 | OPTIMA FLEXIBLE SLEEVE MGF 102-OPT PVC GREY | PCS | 1 |

FLEXIBLE SLEEVE KIT INSTALLATION EXAMPLE



AESTHETIC FLANGE INSTALLATION EXAMPLE





PROFESSIONAL FAN COIL

VERTICAL BUILT-IN INSTALLATION BOX FOR FAN COILS WITH BUILT-IN INSPECTABLE SIPHON



 **MADE IN ITALY**



PROFESSIONAL FAN COIL




 **MADE IN ITALY**

 **VERTICAL BUILT-IN INSTALLATION BOX FOR FAN COILS WITH BUILT-IN INSPECTABLE SIPHON**

 **BOÎTIER VERTICAL DE PRÉDISPOSITION POUR VENTIL-CONVECTEUR AVEC SIPHON CONTRÔLABLE INTÉGRÉ**

 **VERTIKALE INSTALLATIONSBOX FÜR GEBLÄSEKONVEKTOR MIT INTEGRIERTEM INSPIZIERBAREM SIPHON**



Supplied accessories



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| SCD200013 | VERTICAL ARRANGEMENT WITH FAN-COIL SIPHON | PCS | 1 |

 **CONDENSATE DRAIN PIPE Ø 18 DOUBLE LAYER - SLEEVES Ø 16/18**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 18 DOUBLE REVÊTEMENT - MANCHONS Ø 16/18**

 **KONDENSATABLAUFROHR Ø 18 MIT DOPPELTER ISOLIERUNG - MUFFEN Ø 16/18**



  **MADE IN ITALY**

WITHOUT PACKAGING

AVAILABLE FROM MARCH 2025

| CODE | DESCRIPTION | LENGTH | M.U. |  Multiple order M.U. |
|-----------|---|-----------|------|---|
| SCD300095 | CONDENSATE DRAIN PIPE Ø 18 DOUBLE LAYER - SLEEVES Ø 16/18 | 50 m ROLL | PCS | 1 |

 **CONDENSATE DRAIN PIPE Ø 20 DOUBLE LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 20 DOUBLE REVÊTEMENT - MANCHONS Ø 18/20**

 **KONDENSATABLAUFROHR Ø 20 MIT DOPPELTER ISOLIERUNG - MUFFEN Ø 18/20**



  **MADE IN ITALY**

AVAILABLE FROM MARCH 2025

| CODE | DESCRIPTION | LENGTH | M.U. |  Multiple order M.U. |
|-----------|---|-----------|------|---|
| SCD300097 | CONDENSATE DRAIN PIPE Ø 20 DOUBLE LAYER - SLEEVES Ø 18/20 | 50 m ROLL | PCS | 1 |

 **CONDENSATE DISCHARGE PIPE Ø 20 WITH DOUBLE LAYER - SLEEVES Ø 16/18 AND Ø 18/20, ALTERNATED**

 **TUYAU D'ÉVACUATION DES CONDENSATS Ø 20 À DOUBLE REVÊTEMENT - MANCHONS Ø 16/18 ET Ø 18/20 ALTERNÉS**

 **KONDENSATABLAUFLEITUNG Ø 20 MIT DOPPELTER BESCHICHTUNG - MUFFEN Ø 16/18 UND Ø 18/20 IM WECHSEL**



  **MADE IN ITALY**

| CODE | DESCRIPTION | LENGTH | M.U. |  Multiple order M.U. |
|-----------|--|-----------|------|---|
| SCD300086 | CONDENSATE DISCHARGE PIPE Ø 20 WITH DOUBLE LAYER - SLEEVES Ø 16/18 AND Ø 18/20, ALTERNATED | 50 m ROLL | PCS | 1 |

 **CONDENSATE DRAIN PIPE Ø 18 SINGLE LAYER - SLEEVES Ø 16/18**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 18 SIMPLE REVÊTEMENT - MANCHONS Ø 16/18**

 **KONDENSATABLAUFROHR Ø 18 EINFACHBESCHICHTUNG - MUFFEN Ø 16/18**



 **MADE IN ITALY**

WITHOUT PACKAGING

AVAILABLE FROM MARCH 2025

| CODE | DESCRIPTION | LENGTH | M.U. |  Multiple order M.U. |
|-----------|---|-----------|------|---|
| SCD300096 | CONDENSATE DRAIN PIPE Ø 18 SINGLE LAYER - SLEEVES Ø 16/18 | 50 m ROLL | PCS | 1 |

 **CONDENSATE DRAIN PIPE Ø 20 DOUBLE LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 20 DOUBLE REVÊTEMENT - MANCHONS Ø 18/20**

 **KONDENSATABLAUFROHR Ø 20 MIT DOPPELTER ISOLIERUNG - MUFFEN Ø 18/20**



 **MADE IN ITALY**

| CODE | DESCRIPTION | LENGTH | M.U. |  Multiple order M.U. |
|-----------|---|-----------|------|---|
| SCD300087 | CONDENSATE DRAIN PIPE Ø 18 SINGLE LAYER - SLEEVES Ø 16/18 | 50 m ROLL | PCS | 1 |

 **CONDENSATE DRAIN PIPE Ø 20 SINGLE GRAY LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 20 SIMPLE GRIS REVÊTEMENT - MANCHONS Ø 18/20**

 **KONDENSATABLAUFROHR Ø 20 EINFACHBESCHICHTUNG - MUFFEN Ø 18/20**



 **MADE IN ITALY**

WITHOUT PACKAGING

AVAILABLE FROM MARCH 2025

| CODE | DESCRIPTION | LENGTH | M.U. |  Multiple order M.U. |
|-----------|--|-----------|------|---|
| SCD300096 | CONDENSATE DRAIN PIPE Ø 20 SINGLE GRAY LAYER - SLEEVES Ø 18/20 | 50 m ROLL | PCS | 1 |

 **BLUE CONDENSATE DRAIN PIPE REINFORCED BY UNDER-TRACK Ø 20 SINGLE LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT BLEU RENFORCÉ POUR ENCASTREMENT Ø 20 MONOCOUCHE - MANCHONS Ø 18/20**

 **HELLBLAUE KONDENSATABLEITUNG VERSTÄRKT FÜR UNTERFLURVERLEGUNG MIT Ø 20 EINFACHBESCHICHTUNG - MUFFEN Ø 18/20**



 **MADE IN ITALY**

WITHOUT PACKAGING

AVAILABLE FROM MARCH 2025

| CODE | DESCRIPTION | LENGTH | M.U. |  Multiple order M.U. |
|-----------|--|-----------|------|---|
| SCD300094 | BLUE CONDENSATE DRAIN PIPE REINFORCED BY UNDER-TRACK Ø 20 SINGLE LAYER - SLEEVES Ø 18/20 | 50 m ROLL | PCS | 1 |

 **30 M COILED PVC CONDENSATE DRAIN PIPE FOR DUCT INSTALLATION**

 **TUYAU DE DRAINAGE DU CONDENSAT EN PVC ENROULÉ DE 30 M POUR INSTALLATION DANS GOULOTTE**

 **30 M SPIRALFÖRMIGE PVC-KONDENSATABLEITUNG FÜR ZUM EINBAU IN KANÄLEN**



 **MADE IN ITALY**

AVAILABLE FROM MARCH 2025

| CODE | DESCRIPTION | LENGTH | M.U. |  Pieces per box |
|-----------|--|----------|------|--|
| SCD300098 | 30 M COILED PVC CONDENSATE DRAIN PIPE FOR DUCT INSTALLATION Ø 16 | 30m ROLL | PCS | 1 |
| SCD300099 | 30 M COILED PVC CONDENSATE DRAIN PIPE FOR DUCT INSTALLATION Ø 20 | 30m ROLL | PCS | 1 |

EMPIRE EVO 600

 FLOOR STAND

 SUPPORT AU SOL

 BODENHALTERUNG



| CODE | DESCRIPTION | M.U. |  Pieces per box |
|-----------|--|------|---|
| SCD500453 | FLOOR STAND "EMPIRE EVO" L 1300XP600 - IVORY | PCS | 1 |
| SCD500454 | FLOOR STAND "EMPIRE EVO" L 1300XP600 - GREY | PCS | 1 |

EMPIRE EVO

 FLOOR STAND

 SUPPORT AU SOL

 BODENHALTERUNG



| CODE | DESCRIPTION | M.U. |  Pieces per box |
|-----------|---|------|---|
| SCD500437 | FLOOR STAND "EMPIRE EVO 480" - BLACK | PCS | 1 |
| SCD500438 | FLOOR STAND "EMPIRE EVO 550" - BLACK | PCS | 1 |
| SCD500272 | FLOOR STAND "EMPIRE EVO 440" - ANTHRACITE GREY RAL 7016 | PCS | 1 |
| SCD500273 | FLOOR STAND "EMPIRE EVO 480" - ANTHRACITE GREY RAL 7016 | PCS | 1 |
| SCD500274 | FLOOR STAND "EMPIRE EVO 550" - ANTHRACITE GREY RAL 7016 | PCS | 1 |



TÜV CERTIFICATION FOR OUTDOOR UNIT BRACKETS: GUARANTEE OF SAFETY AND QUALITY.

Choosing TÜV-certified brackets from Tecnosystemi means prioritizing **quality**, **safety**, and long-term **reliability**.



High Durability



Guarantee



Control and Quality



Certificate

CERTIFICAT • CERTIFICADO • CERTIFIKAT • CERTIFICATE • CERTIFICAZIONE • CERTIFICAZIONE

CERTIFICATE

No. Z1 129005 0001 Rev. 00

Holder of Certificate:

Techrosystemi S.p.a. Società Benefit
Via Cavour 24
20128 Milano (MI) Italy

Certification Mark:



Product:

Wall bracket
(Conditioning system carrier arms)

This product was found in a laboratory, tests and compared with the product specifications. The certification mark and the number can be affixed to the product. It is not sufficient to have the mark printed. The manufacturer is responsible for the product. The responsibility for the product is not transferred to the certifier. The certifier is not responsible for the product. The certifier is not responsible for the product. The certifier is not responsible for the product.

Test report no.:

12228402/000000000

Video ref.:

20241121

Date:

2024/11/21

ZEUS HIGH ARTICULATED



 **MADE IN ITALY**

 **ANTI-VIBRATION FOOT IN VULCANISED RUBBER SBR**

 **PIED ANTIVIBRATOIRE EN CAOUTCHOUC VULCANISÉ SBR**

 **SCHWINGUNGSDÄMPFENDER FUSS AUS VULKANISIERTEM GUMMI SBR**



ZEUS
HIGH ARTICULATED

PACK 6 PZ

| CODE | DESCRIPTION | MOD. | WEIGHT CAPACITY [kg] | M.U. |  Pieces per box |
|-----------|--|------|----------------------|------|---|
| SCD500351 | VULCANIZED RUBBER FLOOR SUPPORT - ADJUSTABLE AND ARTICULATED - "ZEUS" H.100 LONG (PACK OF 6 PCS) | LONG | 500 | pcs | 6 |

TS-COVER SILENT WALL

 **MADE IN ITALY**

 **AESTHETIC SOUNDPROOF PROTECTION FOR EXTERNAL WALL-MOUNTED UNITS**

 **PROTECTION ESTHÉTIQUE INSONORISÉE POUR UNITÉS EXTERNES MURALES**

 **SCHALLGEDÄMMTE DESIGN-SCHUTZABDECKUNG FÜR WANDMONTAGE AUSSENGERÄTE**



Noise reduction up to 9,4 dB(A)

| CODE | DESCRIPTION | COLOUR | M.U. |  Multiple order M.U. |
|-----------|------------------------------|--------------------------|------|---|
| SCD500446 | TS-COVER SILENT WALL - IVORY | IVORY RAL 9002 | PCS | 1 |
| SCD500447 | TS-COVER SILENT WALL - GREY | ANTHRACITE GREY RAL 7016 | PCS | 1 |

TS-COVER SILENT FLOOR



 MADE IN ITALY


AESTHETIC SOUNDPROOF PROTECTION FOR EXTERNAL FLOOR-MOUNTED UNITS

PROTECTION ESTHÉTIQUE INSONORISÉE POUR UNITÉS EXTERNES AU SOL

SCHALLGEDÄMMTE DESIGN-SCHUTZABDECKUNG FÜR BODENMONTIERTE AUSSENGERÄTE


Noise reduction up to 9,4 dB(A)

| CODE | DESCRIPTION | COLOUR | M.U. |  Multiple order M.U. |
|-----------|-------------------------------|--------------------------|------|--|
| SCD500448 | TS-COVER SILENT FLOOR - IVORY | IVORY RAL 9002 | PCS | 1 |
| SCD500449 | TS-COVER SILENT FLOOR - GREY | ANTHRACITE GREY RAL 7016 | PCS | 1 |

TS-COVER SILENT BOX



 MADE IN ITALY


AESTHETIC SOUNDPROOF PROTECTION FOR EXTERNAL FREE-STANDING UNITS

PROTECTION ESTHÉTIQUE INSONORISÉE POUR UNITÉS EXTERNES EN ÎLOT

SCHALLGEDÄMMTE DESIGN-SCHUTZABDECKUNG FÜR FREILIEGENDE AUSSENGERÄTE



Noise reduction up to 13,3 dB(A)

| CODE | DESCRIPTION | COLOUR | M.U. |  Multiple order M.U. |
|-----------|-----------------------------|--------------------------|------|---|
| SCD500450 | TS-COVER SILENT BOX - IVORY | IVORY RAL 9002 | PCS | 1 |
| SCD500451 | TS-COVER SILENT BOX - GREY | ANTHRACITE GREY RAL 7016 | PCS | 1 |

 **INSULATED DISTRIBUTION PLENUM H 160 FOR CMV FOR FLEXIBLE DUCTED HOSE 6-8 OUTPUTS Ø 75 E Ø 90 WITH SLEEVES COMPLETE WITH CALIBRATION DAMPER WITH ADJUSTMENT**

 **PLÉNUM ISOLÉ DE DISTRIBUTION H 160 POUR VMC POUR TUBE FLEXIBLE CANALISÉ 6-8 SORTIES Ø 75 ET Ø 90 AVEC MANCHONS DOTÉS DE REGISTRE RÉGLABLE**

 **ISOLIERTES VERTEILER-PLENUM H 160 FÜR VMC FÜR KANALISIERTEN SCHLAUCH 6-8 AUSGÄNGE Ø 75 UND Ø 90 MIT MUFFEN, KOMPLETT MIT STELSCHIEBER MIT REGULIERUNG**



Example plenum 8 outputs

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|--|
| ACD600158 | DISTRIBUTION PLENUM IN INSULATED SHEET METAL 6 OUTLETS Ø75 WITH INLET Ø150 | PCS | 1 |
| ACD600159 | DISTRIBUTION PLENUM IN INSULATED SHEET METAL 8 OUTLETS Ø75 WITH INLET Ø150 | PCS | 1 |
| ACD600160 | DISTRIBUTION PLENUM IN INSULATED SHEET METAL 6 OUTLETS Ø90 WITH INLET Ø150 | PCS | 1 |
| ACD600161 | DISTRIBUTION PLENUM IN INSULATED SHEET METAL 8 OUTLETS Ø90 WITH INLET Ø150 | PCS | 1 |

TS-HRVU

 **MADE IN ITALY**

 VENTILATION UNIT WITH HEAT RECOVERY  UNITÉ DE VENTILATION AVEC RÉCUPÉRATION DE CHALEUR  LÜFTUNGSEINHEIT MIT WÄRMERÜCKGEWINNUNG


A

From 120 to 500 m³/h



 Made in RECYCLED EPP (PPE)

AVAILABLE FROM FEBRUARY 2025



Extractable ISO Coarse filters 60% G4



Modbus BMS connection



Thermo-acoustic insulation



Brushless EC motors



Antifreeze feature



Reversible upon assembly



90° adjustable aerulic connections




4 temperature sensors



Free Cooling Free Heating

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| ACD200068 | HRVU HEAT RECOVERY UNIT TS120 0/10V | PCS | 1 |
| ACD200067 | HRVU TS180 RF HEAT RECOVERY UNIT | PCS | 1 |
| ACD200066 | HRVU TS250 RF HEAT RECOVERY UNIT | PCS | 1 |
| ACD200075 | HRVU TS320 RF HEAT RECOVERY UNIT | PCS | 1 |
| ACD200072 | HRVU TS380 RF HEAT RECOVERY UNIT | PCS | 1 |
| ACD200073 | HRVU TS500 RF HEAT RECOVERY UNIT | PCS | 1 |
| ACD200069 | CONTROL FOR CMV DISPLAY WITH PROGRAMMING | PCS | 1 |
| ACD200070 | CLOSING PLATE FOR CONTROLS BOX503 | PCS | 1 |
| ACD200071 | FILTER F7 ISO EMP >50% FOR MOD. 120-180-250-320 M3H PLEATED | PCS | 1 |
| ACD200074 | FILTER F7 ISO EPM1 >50% FOR MOD. 380-500 M3H PLEATED | PCS | 1 |




MINI-LED ASTRA


MADE IN ITALY

 WALL-MOUNTED TOUCH THERMOSTAT IN RADIO FREQUENCY WITH BATTERIES

 THERMOSTAT TACTILE MURAL À FRÉQUENCE RADIO AVEC PILES

 WANDMONTIERTER TOUCH-THERMOSTAT IN HOCHFREQUENZ MIT BATTERIEN



| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|--|
| GAD100016 | MINI-LED WALL-MOUNTED TOUCH THERMOSTAT ASTRA | PCS | 1 |

PRO AIR PACK RF 2-3-4-5-6 ZONES WITH MINI-LED ASTRA



 MADE IN ITALY




KIT RAPID WITH PLENUM AND PLASTIC GRILLS ANTICONDENSATION WITH ADJUSTABLE FLAPS WITH CONNECTIONS Ø 125

Pag. 87

Example of 3 zones Ø 125

INTAKE GRILLE WITH FILTER, inst. hole 600 x 400mm




KIT RAPID WITH PLENUM AND PLASTIC GRILLS ANTICONDENSATION WITH ADJUSTABLE FLAPS WITH CONNECTIONS Ø 150

Pag. 88-89

Example of 3 zones Ø 150

INTAKE GRILLE WITH FILTER, inst. hole 600 x 400mm



KIT RAPID WITH PLENUM AND PLASTIC GRILLS ANTICONDENSATION WITH ADJUSTABLE FLAPS WITH CONNECTIONS Ø 200

Pag. 90-91

Example of 3 zones Ø 200

INTAKE GRILLE WITH FILTER, inst. hole 600 x 400mm



BPAP



MADE IN ITALY

 **INTAKE AND SUPPLY GRILLE IN ANTI-CONDENSATION ABS PLASTIC, WHITE**

 **GRILLE DE REFOULEMENT ET DE RÉCUPÉRATION EN PLASTIQUE ABS BLANC ANTI-CONDENSATION**

 **ZULUFT- UND RÜCKLAUFGITTER AUS WEISSEM ABS-KUNSTSTOFF MIT KONDENSATSCHUTZ**





Image refers to model PWD100015

Fastening by means of clips



Adjustable flaps

AVAILABLE FROM JUNE 2025

| CODE | DESCRIPTION | DIM. EXTERNAL FRAME [mm] | REAR NECK DIMENSIONS [mm] | DIM. INSTALLATION HOLE [mm] | PROFILE OF REAR NECK [mm] | M.U. |  Multiple order M.U. |
|-----------|---------------------------|--------------------------|---------------------------|-----------------------------|---------------------------|------|---|
| PWD100018 | GRILLE IN ABS - 400 x 150 | 433 x 183 | 385 x 135 | 400 x 150 | 41 | PCS | 1 |
| PWD100024 | GRILLE IN ABS - 500 x 150 | 533 x 183 | 500 x 150 | 485 x 135 | 41 | PCS | 1 |

WALL BOX



MADE IN ITALY




TELESCOPIC PLENUM IN WHITE ANTI-CONDENSATION POLYSTYRENE PLASTIC



PLÉNUM TÉLESCOPIQUE EN PLASTIQUE POLYSTYRÈNE BLANC ANTI-CONDENSATION



TELESKOPISCHES PLENUM AUS WEISSEM PS-KUNSTSTOFF MIT KONDENSATSCHUTZ





Spirit level supplied for models with a depth of 150 to 200

Wall Box

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|------------|---|------|---|
| PWD402430 | PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 200X100 GRILLE | PCS | 1 |
| PWD402431 | PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 300X100 GRILLE | PCS | 1 |
| PWD402432 | PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 400X100 GRILLE | PCS | 1 |
| PWD402433 | PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 300X150 GRILLE | PCS | 1 |
| PWD402434 | PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 400X150 GRILLE | PCS | 1 |
| *PWD402440 | PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 500X150 GRILLE | PCS | 1 |
| *PWD402441 | PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 500X200 GRILLE | PCS | 1 |
| ACD600091 | CMV BOX BRACKET KIT | KIT | 1 |

AVAILABLE FROM FEBRUARY 2025

***AVAILABLE FROM JUNE 2025**



LINEAR DELIVERY DIFFUSERS IN ANTI-CONDENSATE PVC PLASTIC AND ALUMINIUM

AVAILABLE FROM FEBRAURY 2025



LINEAR DELIVERY DIFFUSERS
IN ANTI-CONDENSATE PVC
PLASTIC WITH DAMPER
1-2-3-4 SLOTS



DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN PLASTIQUE
PVC ANTI-CONDENSATION
AVEC REGISTRE
À 1-2-3-4 FENTES



LINEARER ZULUFT-
DIFFUSOR AUS PVC MIT
KONDENSATSCHUTZ MIT
SCHIEBER - 1-2-3-4 SCHLITZE




LINEAR DELIVERY DIFFUSERS
IN ALUMINIUM WITH DAMPER
1-2-3-4 SLOTS



DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN ALUMINIUM
AVEC REGISTRE
À 1-2-3-4 FENTES



LINEARER ZULUFT-DIFFUSOR
AUS ALUMINIUM MIT
SCHIEBER - 1-2-3-4 SCHLITZE



MATT
WHITE

 **LINEAR DELIVERY DIFFUSERS
IN ANTI-CONDENSATE PVC
PLASTIC WITH DAMPER
AND CENTRAL BAFFLE**
1-2-3-4 SLOTS


 **DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN PLASTIQUE
PVC ANTI-CONDENSATION
AVEC REGISTRE ET
DÉFLECTEUR CENTRAL**
À 1-2-3-4 FENTES

 **LINEARER ZULUFT-
DIFFUSOR AUS PVC MIT
KONDENSATSCHUTZ
MIT SCHIEBER UND
ZENTRALER STÖRKLAPPE -**
1-2-3-4 SCHLITZE

 **LINEAR DELIVERY DIFFUSERS
IN ALUMINIUM WITH DAMPER
AND CENTRAL BAFFLE**
1-2-3-4 SLOTS

 **DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN ALUMINIUM
AVEC REGISTRE ET
DÉFLECTEUR CENTRAL**
À 1-2-3-4 FENTES

 **LINEARER ZULUFT-DIFFUSOR
AUS ALUMINIUM MIT
SCHIEBER UND ZENTRALER
STÖRKLAPPE - 1-2-3-4**
SCHLITZE




MATT
WHITE

 **LINEAR INTAKE DIFFUSERS
IN ANTI-CONDENSATE PVC
PLASTIC**
1-2-3-4 SLOTS


 **DIFFUSEUR LINÉAIRE DE
RÉCUPÉRATION EN PLASTIQUE
PVC ANTI-CONDENSATION**
À 1-2-3-4 FENTES

 **LINEARER RÜCKLAUF-
DIFFUSOR AUS PVC MIT
KONDENSATSCHUTZ - 1-2-3-4**
SCHLITZE

 **LINEAR INTAKE DIFFUSERS
IN ALUMINIUM**
1-2-3-4 SLOTS

 **DIFFUSEUR LINÉAIRE DE
RÉCUPÉRATION EN
ALUMINIUM À 1-2-3-4 FENTES**

 **LINEARER RÜCKLAUF-
DIFFUSOR AUS ALUMINIUM
MIT - 1-2-3-4 SCHLITZE**




MATT
WHITE

 **LINEAR RETRACTING DELIVERY AND INTAKE DIFFUSERS IN ANTI-CONDENSATE PVC PLASTIC WITH INSULATED PLENUM**

 **DIFFUSEUR LINÉAIRE DE RÉCUPÉRATION ESCAMOTABLE EN PLASTIQUE PVC ANTI-CONDENSATION ET PLÉNUM ISOLÉ**

 **LINEARER ZULUFT-DIFFUSOR - UNTERPUTZ - AUS PVC MIT KONDENSATSCHUTZ MIT SCHIEBER UND ISOLIERTEM PLENUM**

 **LINEAR RETRACTING DELIVERY AND INTAKE DIFFUSERS IN ALUMINIUM WITH INSULATED PLENUM**

 **DIFFUSEUR LINÉAIRE DE RÉCUPÉRATION ESCAMOTABLE EN ALUMINIUM AVEC PLÉNUM ISOLÉ**

 **LINEARER ZULUFT-DIFFUSOR - UNTERPUTZ - AUS ALUMINIUM MIT SCHIEBER UND ISOLIERTEM PLENUM**



 **LOWERED INSULATED PLENUM WITH UPPER COUPLER FOR LINEAR DIFFUSER WITH 1-2-3-4 SLOTS**

 **PLÉNUM ISOLÉ SURBAISSÉ AVEC RACCORD SUPÉRIEUR POUR DIFFUSEUR LINÉAIRE À 1-2-3-4 FENTES**

 **ISOLIERTES ABGESENKTES PLENUM MIT OBEREM ANSCHLUSS FÜR LINEAREN DIFFUSOR 1-2-3-4 SCHLITZE**



Image referring to the model with a slot

AVAILABLE FROM FEBRUARY 2025

 **THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMoured ALUMINIUM PHONIC**

 **TUBE FLEXIBLE CANALISÉ THERMIQUE - PHONIQUE EN ALUMINIUM À DOUBLE PAROI BLINDÉ**

 **KANALISIERTER SCHLAUCH, WÄRME- UND SCHALLDÄMPFEND - AUS ALUMINIUM, DOPPELWANDIG GEPANZERT**



AVAILABLE FROM FEBRUARY 2025

| CODE | DESCRIPTION | INNER Ø [mm] | M.U. |  Multiple order M.U. |
|-----------|--|--------------|------|---|
| PWC400021 | EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMoured ALUMINIUM PHONIC Ø102 mm L.10 m | 102 | PCS | 1 |
| PWC400022 | EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMoured ALUMINIUM PHONIC Ø127 mm L.10 m | 127 | PCS | 1 |
| PWC400023 | EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMoured ALUMINIUM PHONIC Ø152 mm L.10 m | 152 | PCS | 1 |
| PWC400024 | EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMoured ALUMINIUM PHONIC Ø165 mm L.10 m | 165 | PCS | 1 |
| PWC400025 | EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMoured ALUMINIUM PHONIC Ø204 mm L.10 m | 204 | PCS | 1 |
| PWC400026 | EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMoured ALUMINIUM PHONIC Ø254 mm L.10 m | 254 | PCS | 1 |

BBR

 **TWO-STAGE VACUUM PUMP WITH RECHARGEABLE BATTERY AND VACUUM GAUGE IN CARRYING CASE**

 **POMPE À VIDE À DEUX ÉTAGES AVEC BATTERIE RECHARGEABLE ET VACUOMÈTRE DANS UNE MALLETTE**

 **ZWEISTUFIGE VAKUUMPUMPE MIT WIEDERAUFLADBARER BATTERIE UND VAKUUMMETER IM KOFFER**

R32



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| TSC100043 | TWO-STAGE VACUUM PUMP MODEL TS84 BBR FOR R32 GAS | PCS | 1 |
| TSC100044 | TWO-STAGE VACUUM PUMP MODEL TS122 BBR FOR R32 GAS | PCS | 1 |

BEV-BO

 **TWO-STAGE VACUUM PUMP FOR R32 GAS**

 **POMPE À VIDE À DEUX ÉTAGES POUR GAZ R32**

 **ZWEISTUFIGE VAKUUMPUMPE MIT MAGNETVENTIL FÜR R32-GAS**

R32



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Pieces per box |
|-----------|-------------|------|--|
| TSC100042 | | PCS | 1 |

BEV-MB

 **TWO-STAGE VACUUM PUMP WITH RECHARGEABLE BATTERY AND VACUUM GAUGE IN CARRYING CASE**

 **POMPE À VIDE À DEUX ÉTAGES AVEC ÉLECTROVANNE ET VACUOMÈTRE INTÉGRÉS EN BAIN D'HUILE POUR GAZ R32 AVEC MOTEUR SANS BALAIS**

 **ZWEISTUFIGE VAKUUMPUMPE MIT INTEGRIERTEM MAGNETVENTIL UND ÖLBAD-VAKUUMMETER FÜR GAS R32 MIT BRUSHLESS-MOTOR**

R32

AVAILABLE FROM APRIL 2025



CE

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|---|
| TSC100035 | TWO-STAGE VACUUM PUMP TS56 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS | PCS | 1 |
| TSC100036 | TWO-STAGE VACUUM PUMP TS84 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS | PCS | 1 |
| TSC100037 | TWO-STAGE VACUUM PUMP TS112 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS | PCS | 1 |
| TSC100038 | TWO-STAGE VACUUM PUMP TS168 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS | PCS | 1 |

RHTSB

 **1 HP RECOVERY AND RECYCLING STATION WITH BRUSHLESS MOTORS FOR R32 GAS**

 **STATION DE RÉCUPÉRATION ET DE RECYCLAGE DE 1 HP AVEC MOTEURS SANS BALAIS POUR GAZ R32**

 **RÜCKGEWINNUNGS- UND RECYCLINGSTATION ZU 1 HP MIT BRUSHLESS-MOTOREN FÜR GAS R32**

R32

AVAILABLE FROM APRIL 2025



CE

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| TSC100046 | 1 HP RECOVERY AND RECYCLING STATION WITH BRUSHLESS MOTORS FOR R32 GAS | PCS | 1 |

 4-WAY DRY GAUGE UNIT FOR R290 - 600

 GROUPE MANOMÉTRIQUE À SEC 4 VOIES POUR R290 - 600

 4-WEGE TROCKENMANOMETER-BAUSATZ FÜR R290 - 600



R290


AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|------------------------------------|------|--|
| TSC200019 | 4-WAY PRESSURE GAUGE UNIT R290/600 | PCS | 1 |

 STRAIGHTENER FOR COPPER PIPES

 REDRESSEUR POUR TUBES EN CUIVRE

 GERADEBIEGER FÜR KUPFERROHRE



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|--|------|--|
| TSD600001 | STRAIGHTENER FOR COPPER PIPE CT-302-02 1/8" | PCS | 1 |
| TSD600002 | STRAIGHTENER FOR COPPER PIPE CT-302-05 5/16" | PCS | 1 |
| TSD600003 | STRAIGHTENER FOR COPPER PIPE CT-302-08A 1/2" | PCS | 1 |
| TSD600004 | STRAIGHTENER FOR COPPER PIPE CT-302-10 5/8" | PCS | 1 |
| TSD600005 | STRAIGHTENER FOR COPPER PIPE CT-302-12 3/4" | PCS | 1 |

 CORNER BALL VALVE 7/16 F - 1/4 M SAE

 ROBINET À BILLE D'ANGLE 7/16 F - 1/4 M SAE

 ECKVENTIL-KUGELHAHN 7/16 F - 1/4 M SAE



CE

R32



AVAILABLE FROM APRIL 2025

| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| TSC300007 | CORNER BALL VALVE CYLINDER R 600A 1 litre | PCS | 1 |

 BENDING KIT

 KIT DE COURBURE

 BIEGESATZ




AVAILABLE FROM APRIL 2025


| CODE | DESCRIPTION | M.U. |  Multiple order M.U. |
|-----------|---|------|---|
| TSC600081 | BENDING KIT - 5 PCS. (1/4",3/8",1/2",5/8",3/4") | KIT | 1 |
| TSC600082 | BENDING KIT - 3 PCS. (1/2",5/8",3/4") | KIT | 1 |
| TSC600083 | BENDING KIT - 3 PCS. (1/4",3/8",1/2") | KIT | 1 |

STAY UP TO DATE ON UR NEW PRODUCTS

www.tecnosystemi.com



FOLLOW US ON OUR SOCIAL NETWORK



Tecnosystemi S.p.A. Società Benefit

PLANT 1

Via dell'Industria, 2/4
Z.I. San Giacomo di Veglia
31029 Vittorio Veneto (Treviso)

PLANT 2

Via Caduti del Lavoro, 7
Z.I. San Giacomo di Veglia
31029 Vittorio Veneto (Treviso)

Tel +39 0438.500044

Fax +39 0438.501516

info@tecnosystemi.com

C.F. - P. IVA - R.I.TV IT02535780247

Cap. Soc. € 5.000.000,00 i.v.