

OPTIMA DT

“T” shunt

- cod. 11106031 - cod. 11106032 - cod. 11106033
- cod. SCD100118 - cod. SCD100437 - cod. SCD100438
- cod. SCD100439 - cod. SCD100395 - cod. SCD100396
- cod. SCD100397



TECHNICAL SPECIFICATIONS:

- High impact resistance plastic, recyclable
- Innovative design
- Ultra-fast interlocking fastening system
- Extremely high outer finish
- Allows a wide bending radius of tubes
- Heat shrink barcode packaging
- Paintable
- Operating temperature -20°C / +60°C

MODELS AVAILABLE:



WHITE



ANTHRACITE
GREY




BLACK

SPECIFICATIONS

DT 62-OPT composed of: DT 75-OPT and no. 3 reductions for ducts sized 62

DT 75-OPT composed of a "T" sized 75
 DT 102-OPT composed of a "T" sized 102
 DT 135-OPT composed of a "T" sized 135



DIMENSIONS

CODE	MODEL	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]
11106031	DT 62 - OPT W	66	48	180	130	60
11106032	DT 75 - OPT W	78	58	180	130	--
11106033	DT 102 - OPT W	104	68	210	160	--
SCD100118	DT 135 - OPT W	140	84	270	205	--
SCD100437	DT 75 - OPT G	78	58	180	130	--
SCD100438	DT 102 - OPT G	104	68	210	160	--
SCD100439	DT 135 - OPT G	140	84	270	205	--
SCD100395	DT 75 - OPT B	78	58	180	130	--
SCD100396	DT 102 - OPT B	104	68	210	160	--
SCD100397	DT 135 - OPT B	140	84	270	205	--

ITEMS

CODE	DESCRIPTION
11106031	DT62-OPT - "OPTIMA DT" LINE T-BRANCH
11106032	DT75-OPT - "OPTIMA DT" LINE T-BRANCH
11106033	DT102-OPT - "OPTIMA DT" LINE T-BRANCH
SCD100118	DT135-OPT - "OPTIMA DT" LINE T-BRANCH
SCD100437	"OPTIMA DT" LINE T-BRANCH - ANTHRACITE GREY
SCD100438	"OPTIMA DT" LINE T-BRANCH - ANTHRACITE GREY
SCD100439	"OPTIMA DT" LINE T-BRANCH - ANTHRACITE GREY
SCD100395	"OPTIMA DT" LINE T-BRANCH - BLACK - DT75-OPT
SCD100396	"OPTIMA DT" LINE T-BRANCH - BLACK - DT102-OPT
SCD100397	"OPTIMA DT" LINE T-BRANCH - BLACK - DT135-OPT

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.

