




CATALOGUE NEWS 2025



Smart Clima
Accessories for Air Conditioning



Apply Air
Air Curtains and Accessories



Apply.Co
Mechanical Controlled Ventilation



Galaxy
Multi-Zone Air Control System



Project Wind
Ventilation Solutions



Toolsplit
Instruments & Tools



Showgas
Heating Products



FV Power
Photovoltaic Fixing Elements

www.tecnosystemi.com

INDEX



Smart Clima

Accessories for Air Conditioning

Page 18



Apply.Co

Mechanical Controlled Ventilation

Page 39



Galaxy

Multi-Zone Air Control System

Page 42



Project Wind

Ventilation Solutions

Page 44



Toolsplit

Instruments & Tools

Page 50

TECNOSYSTEMI'S HISTORY OF VALUE



1992

THE FIRST TECNOSYSTEMI IS FOUNDED

Officially established in 1992, the company began its journey at its first location in Susegana.



2002

TRANSFER TO VITTORIO VENETO

Tecnosystemi moved to a 33,000 square metre site in the industrial area of Vittorio Veneto, after changing the plant location twice.



2017

PHOTOVOLTAIC SYSTEM INSTALLATION 500 kW


In 2017, when renovating the old warehouses, the company decided to install a 500 Kw photovoltaic system on the entire roof surface, creating a system that covers the energy needs of production without producing harmful emissions.



1996

THE TRANSITION TO A MANUFACTURING COMPANY

One of the first major transformations led the company to begin a virtuous path that is still evolving today.



2003

A STRATEGIC CHANGE OF PERSPECTIVE TOWARDS THE FUTURE

The company evolves into the current company structure marking its definitive take-off.



2020

TECNOSYSTEMI REDESIGNS THE HEADQUARTERS

The headquarters were redesigned, modernising the outdated building that was not in keeping with the company's vision.



2022

COMPLETION OF THE PHOTOVOLTAIC SYSTEM

At the beginning of 2022, the photovoltaic system was completed, which with its 1.2 MW output covers 85% of Tecnosystemi's production requirements.



2019

EXTENSION OF THE PRODUCTION PLANT


Facing major business developments, and choosing to internalise more and more production processes, an extension of around 6,000 m² was required, and the production plant now covers over 19,000 m²



2021

TECNOSYSTEMI BECOMES A BENEFIT COMPANY

The company becomes a Benefit Company: by redefining its corporate purpose, it makes a firm commitment to making a positive impact on the environment and the community, effectively continuing a journey that began years earlier.



2023

A NEW PRODUCTION PLANT

With continued growth and a vision always open to large projects, Tecnosystemi expands with the acquisition of another new 12,000 m² plant on a 25,500 m² site in December 2022. The energy transition continues with the expansion of the photovoltaic system on the company's two plants for a total installed capacity of 1.6 MW.

HIGHLIGHTS



THE GROUP

over **30**
years of business
experience

18,781,525
pieces produced in 2024 only

6,434
catalogue items

8
brands



2
production
plants


32,000 sqm
total production area

5
days lead time




PEOPLE

200
direct and indirect
employees




4,000
training hours
provided in 2023




THE SUPPLY CHAIN

+300
suppliers of goods
and services




77 %
Italian suppliers

41 %
suppliers from
Veneto



THE ENVIRONMENT


4,806
panels installed



1.6 MW
total installed power

49 %
electricity used in the
company comes from
renewable sources

-22 %
emissions per piece
produced in 2023
compared to 2022



OUR CERTIFICATIONS





* See the certified
wall brackets



All the informations are referred to 2024


PRODUCTION COMPANY





PRODUCTION COMPANY

PLANT 1



PLANT 2



A NEW DEVELOPMENT MODEL: WHEN SUSTAINABILITY BECOMES A RESPONSIBILITY

Civil responsibility and transparency are our core values, underpinning a model of entrepreneurship that looks beyond the confines of the company to embrace a civil duty, caring for people, the land, the environment and the community.

A new way of working and being a company, with a defined and precise role, which led us to decide to become a Benefit Company in order to go beyond the word “sustainability”. A solid commitment that began with an important choice: the change of our company name and Articles of Association. We chose the **Benefit Company** model because we believe that our stakeholders need clarity and facts. Actions that must be thought out, planned and shared. We cannot do business without considering our impacts, of which we are absolutely responsible for and aware of.

We decided to focus our business on four key topics, known as purposes of common good, which we measure, disclose and report every year with facts and figures to correctly engage our various stakeholders.





MANAGEMENT SYSTEMS, CERTIFICATIONS, ITALIAN MANUFACTURING.



Through investments in new technologies, the continuous improvement of our processes and the enhancement of skills, our research and development division develops high-quality, functional and cutting-edge products.

Supporting these processes, we launched a programme of progressive implementation of **management systems certified by external bodies**.

The basis is the **ISO 9001:2015** system, which guarantees a **well-organised business structure** that is improved continuously.

With the **ISO 45001:2018** certification for **health and safety**, we have structured a safe working environment that has the interests of all our people at heart.

Increasingly attentive to environmental impacts, we have begun to implement an **environmental management system** conforming to standard **UNI EN ISO 14001:2015**, but in addition, from 2024 we use **energy** produced exclusively by our **photovoltaic panels** and we purchase energy **only from 100% renewable sources**.

In terms of our production, we have selected some products for **TÜV SÜD certification**, which offers a further guarantee of quality and safety for installation.

Furthermore, having completed the LCA analysis on several core-business product lines, we have begun **EPD certification**, in accordance with the key strategic commercial international certification analysis standard, which should be completed in 2025

OUR CERTIFICATIONS



*See the certified wall brackets



WE ARE AN ITALIAN EXCELLENCE, CERTIFIED BY ITALYx



Il Sole
24 ORE

PROMOSSO DA
 CONFININDUSTRIA

In November 2024, we obtained a major certification that celebrates our commitment to representing and **promoting Italian manufacturing** throughout the production chain, which acknowledges our ability to conceive, design and innovate in line with the distinctive features of Italian tradition.

The certification is awarded on the basis of a very strict technical specification set by **Il Sole 24 Ore**, and audited by **Bureau Veritas**, an independent certification agency. The main requirements and parameters certifying the Italian excellence of its products include: **design, production, ownership and R&D in Italy; high standards of style and creativity; Italian suppliers and subcontractors; Italian patents.**

THE VALUE OF CERTIFICATION



Recognition
of quality



International
visibility



Enhancing Italian
excellence



Committed to innovation

A CONSCIOUS STUDY, TO RETHINK OUR PACKAGING.

Did you know that 95% of the packagings we use are made from renewable materials?

Our sustainable innovation is based on research into solutions that generate **the least possible environmental impact**, including the packaging we use to pack and ship our products.

Precisely for this purpose, we have launched an assessment of our packaging materials, choosing to redesign our packaging by preferring recyclable materials and **water- or soy-based inks**, which are safer and less polluting as they contain no solvents and need less energy to dry than common inks.

Packaging that respects the planet and consciously respects our future.



WE USE 100% GREEN-CERTIFIED RENEWABLE ENERGY



From this year, all the electricity that is not produced by our photovoltaic plants comes from other renewable sources.

We respect the environment using only energy produced from renewable sources, including water, sun, wind and geothermal, certified by the “guarantee of origin” system run by the energy services manager, in accordance with Directive (EC) 2009/28/EC.



WE NEVER STOP IMPROVING: OUR EPD CERTIFICATION PATH.



EPDs - Environmental Product Declarations - are transparency documents that inform of our commitment to measuring environmental impacts linked to our production activities, describing them clearly and precisely.

The process is structured into various phases, is based on international standards and considers the whole product life cycle.

This year we launched our **first EPD certification on duct lines and Excellens and Optima white accessories**, quantifying the energy and natural resources used in the production and distribution processes, the CO₂ emissions into the atmosphere, the materials used for packaging and the waste generated.

Scan the QR Code to keep up-to-date on our EPD-certified products.



EPD[®]
THE INTERNATIONAL EPD[®] SYSTEM

THE 5 EPD DEVELOPMENT PHASES



PCR verification



Life Cycle
Assessment



Drafting



Accreditation



Registration and
publication

NEW INNOVATIVE MATERIAL FOR AN EXTRAORDINARY RESULT

Trunkings and accessories made
in PVC and plastic material



Patented model



Anti UV rays



Reach certifications



High resistance



Eco-friendly material



Shockproof



Operating temperature
-20°C/+75°C



excellens

Optima

MADE IN ITALY

EXCELLENS TMR


MADE IN ITALY

**WALL-MOUNTED TERMINAL,
ROUND**

**EXTRÉMITÉ
MURALE RONDE**

**RUNDER
WANDABSCHLUSS**


**THE IDEAL SOLUTION TO COVER UP ERRORS DURING
WALL CORING OPERATIONS**

Large outer flange with an innovative round shape

MODEL	TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE	GREY LINE	M.U.	 Multiple order M.U.
	CODE	CODE	CODE	CODE	CODE	CODE		
TMR 60-EXC	SCD100274	SCD100280	SCD100286	SCD100292	SCD100298	SCD100304	PCS	5
TMR 72-EXC	SCD100276	SCD100282	SCD100288	SCD100294	SCD100300	SCD100306	PCS	5
TMR 100-EXC	SCD100278	SCD100284	SCD100290	SCD100296	SCD100302	SCD100308	PCS	3

EXCELLENS TMQ


MADE IN ITALY

**WALL-MOUNTED TERMINAL,
SQUARE**

**EXTRÉMITÉ MURALE
CARRÉE**

**QUADRATISCHER
WANDABSCHLUSS**


MODEL	TOP LINE	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE	GREY LINE	M.U.	 Multiple order M.U.
	CODE	CODE	CODE	CODE	CODE	CODE		
TMQ60-EXC	SCD100273	SCD100279	SCD100285	SCD100291	SCD100297	SCD100303	PCS	5
TMQ 72-EXC	SCD100275	SCD100281	SCD100287	SCD100293	SCD100299	SCD100305	PCS	5
TMQ 100-EXC	SCD100277	SCD100283	SCD100289	SCD100295	SCD100301	SCD100307	PCS	3

KMF


**FLEXIBLE SLEEVE KIT FOR
EXCELLENS DUCT**

**KIT MANCHON FLEXIBLE
POUR GOULOTTE EXCELLENS**

**BAUSATZ FLEXIBLE MUFFE
FÜR KANAL EXCELLENS**

NEW
LINE

BLACK
LINE

GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100566	KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 72-EXC WHITE + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm	KIT	1
SCD100567	KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 72-EXC BLACK + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm	KIT	1
SCD100568	KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 72-EXC GREY + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm	KIT	1
SCD100569	KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 100-EXC WHITE + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm	KIT	1
SCD100570	KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 100-EXC BLACK + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm	KIT	1
SCD100571	KMF - FLEXIBLE SLEEVE KIT EXCELLENS MGF 100-EXC GREY + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm	KIT	1

MGF


**FLEXIBLE SLEEVE FOR
EXCELLENS DUCT**

**MANCHON DE JONCTION
FLEXIBLE POUR GOULOTTE
EXCELLENS**

**FLEXIBLE ANSCHLUSSMUFFE
FÜR KANAL EXCELLENS**

NEW
LINE

BLACK
LINE

GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100584	MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 72-EXC PVC WHITE	PCS	1
SCD100585	MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 72-EXC PVC BLACK	PCS	1
SCD100586	MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 72-EXC PVC GREY	PCS	1
SCD100587	MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 100-EXC PVC WHITE	PCS	1
SCD100588	MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 100-EXC BLACK	PCS	1
SCD100589	MGF - FLEXIBLE SLEEVE FOR EXCELLENS MGF 100-EXC PVC GREY	PCS	1

KRT



MADE IN ITALY



**ROUND TERMINAL KIT
WITH FLEXIBLE HOSE
AND EXTERNAL UNIT
CONNECTION FITTING IN
ANTI-UV RUBBER**



**KIT ROSACE ESTHÉTIQUE
RONDE AVEC TUBE FLEXIBLE
ET RACCORD DE RACCOR-
DEMENT UNITÉ EXTERNE EN
CAOUTCHOUC ANTI-UV**



**RUNDES DESIGN TERMINAL
KIT MIT SCHLAUCH
UND ANSCHLUSS FÜR
AUSSENGERÄT AUS UV-
BESTÄNDIGEM GUMMI**



NEW
LINE



BLACK
LINE



GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100551	KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm - WHITE	KIT	1
SCD100552	KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm BLACK	KIT	1
SCD100553	KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm GREY	KIT	1
SCD100557	KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm - WHITE	KIT	1
SCD100558	KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm BLACK	KIT	1
SCD100559	KRT - ROUND TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm GREY	KIT	1

RET



MADE IN ITALY


**ROUND TERMINAL FOR
FLEXIBLE HOSE Ø 60 / 80 MM**



**ROSACE ESTHÉTIQUE
RONDE POUR TUBE
FLEXIBLE Ø 60 / 80 MM**



**RUNDES DESIGN TERMINAL
FÜR SCHLAUCH Ø 60 / 80 MM**



NEW
LINE



BLACK
LINE



GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100575	RET - ROUND TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - WHITE	PCS	1
SCD100576	RET - ROUND TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm BLACK	PCS	1
SCD100577	RET - ROUND TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm GREY	PCS	1
SCD100581	RET - ROUND TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - WHITE	PCS	1
SCD100582	RET - ROUND TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm BLACK	PCS	1
SCD100583	RET - ROUND TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm GREY	PCS	1

KRQ



MADE IN ITALY


**SQUARE AESTHETIC
TERMINAL KIT WITH FLEXIBLE
HOSE AND EXTERNAL UNIT
CONNECTION FITTING IN
ANTI-UV RUBBER**



**KIT ROSACE ESTHÉTIQUE
CARRÉE AVEC TUBE
FLEXIBLE ET RACCORD DE
RACCORDEMENT UNITÉ
EXTERNE EN CAOUTCHOUC
ANTI-UV**



**QUADRATISCHES DESIGN
TERMINAL KIT MIT SCHLAUCH
UND ANSCHLUSS FÜR
AUSSENGERÄT AUS UV-
BESTÄNDIGEM GUMMI**



NEW
LINE



BLACK
LINE



GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100548	KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm WHITE	KIT	1
SCD100549	KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm BLACK	KIT	1
SCD100550	KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 60mm GREY	KIT	1
SCD100554	KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm WHITE	KIT	1
SCD100555	KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm BLACK	KIT	1
SCD100556	KRQ - SQUARE TERMINAL KIT + FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80mm + EXTERNAL UNIT CONNECTION FITTING IN RUBBER, DIAMETER 80mm GREY	KIT	1

REQ



MADE IN ITALY


**SQUARE TERMINAL FOR
FLEXIBLE HOSE Ø 60 / 80 MM**



**ROSACE ESTHÉTIQUE
CARRÉE POUR TUBE
FLEXIBLE Ø 60 / 80 MM**



**QUADRATISCHES DESIGN
TERMINAL FÜR SCHLAUCH
Ø 60 / 80 MM**



With screws supplied



NEW
LINE



BLACK
LINE



GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100572	RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - WHITE	PCS	1
SCD100573	RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm BLACK	PCS	1
SCD100574	RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm GREY	PCS	1
SCD100578	RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - WHITE	PCS	1
SCD100579	RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm BLACK	PCS	1
SCD100580	RET - SQUARE TERMINAL FOR FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm GREY	PCS	1

RCG



MADE IN ITALY

 **CONNECTION FITTING FOR
OUTDOOR UNIT IN RUBBER**
Ø 60/80 MM

 **RACCORD DE
RACCORDEMENT UNITÉ
EXTERNE EN CAOUTCHOUC**
Ø 60/80 MM

 **ANSCHLUSS FÜR
AUSSENGERÄT AUS GUMMI**
Ø 60/80 MM



NEW
LINE



BLACK
LINE



GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
SCD100602	RCG - CONNECTION FITTING 70 EXTERNAL RUBBER UNIT - INNER DIAMETER 60 mm - WHITE	PCS	1
SCD100603	RCG - CONNECTION FITTING 70 EXTERNAL RUBBER UNIT - INNER DIAMETER 60 mm BLACK	PCS	1
SCD100604	RCG - CONNECTION FITTING 70 EXTERNAL RUBBER UNIT - INNER DIAMETER 60 mm GREY	PCS	1
SCD100605	RCG - CONNECTION FITTING 100 EXTERNAL RUBBER UNIT - INNER DIAMETER 80 mm - WHITE	PCS	1
SCD100606	RCG - CONNECTION FITTING 100 EXTERNAL RUBBER UNIT - INNER DIAMETER 80 mm BLACK	PCS	1
SCD100607	RCG - CONNECTION FITTING 100 EXTERNAL RUBBER UNIT - INNER DIAMETER 80 mm GREY	PCS	1

TFPT



MADE IN ITALY

 **FLEXIBLE HOSE PROTECTION
FOR HOSES**

 **TUBE FLEXIBLE DE
PROTECTION DES TUBES**

 **SCHUTZSCHLAUCH FÜR
SCHLÄUCHE**



NEW
LINE



BLACK
LINE



GREY
LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	DIAMETER PIPE	M.U.	 Multiple order M.U.
SCD100596	TFPT - FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - 10 meters - WHITE	60	PCS	1
SCD100597	TFPT - FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - 10 meters - BLACK	60	PCS	1
SCD100598	TFPT - FLEXIBLE HOSE 70 HOSE PROTECTION - INNER DIAMETER 60 mm - 10 meters - GREY	60	PCS	1
SCD100599	TFPT - FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - 10 meters - WHITE	80	PCS	1
SCD100600	TFPT - FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - 10 meters - BLACK	80	PCS	1
SCD100601	TFPT - FLEXIBLE HOSE 100 HOSE PROTECTION - INNER DIAMETER 80 mm - 10 meters - GREY	80	PCS	1

KA

MADE IN ITALY

TEAR-PROOF KIT

KIT ANTI-DÉCHIRURE

**REISSFESTE
WANDDURCHFÜHRUNG**


CODE	DESCRIPTION	M.U.	 Multiple order M.U.
SCD100262	KA TEAR-PROOF KIT WHITE COLOUR WHITE 1000 mm	KIT	1
SCD100263	KA TEAR-PROOF KIT WHITE COLOUR IVORY 1000 mm	KIT	1

KARFE

MADE IN ITALY

**UNIVERSAL
TEAR-PROOF KIT PLUS FINISH
FLANGE**

**KIT UNIVERSEL ANTI-
DÉCHIRURE PLUS BRIDE
DE FINITION**

**REISSFESTE
WANDDURCHFÜHRUNG MIT
VEREDELUNGSFLASCH**




CODE	DESCRIPTION	M.U.	 Multiple order M.U.
SCD100264	KARFE UNIVERSAL TEAR-PROOF KIT PLUS FINISH FLANGE WHITE COLOUR L.500	KIT	1

OPTIMA TMR


MADE IN ITALY

**WALL-MOUNTED TERMINAL,
ROUND**

**EXTRÉMITÉ
MURALE RONDE**

**RUNDER
WANDABSCHLUSS**


**THE IDEAL SOLUTION TO COVER UP ERRORS DURING
WALL CORING OPERATIONS**

Large outer flange with an innovative round shape

MODEL	PURE WHITE	ANTHRACITE GREY	DEEP BLACK	M.U.	 Multiple order M.U.
	CODE	CODE	CODE		
TMR 62 - OPT	SCD100244	SCD100252	SCD100265	PCS	5
TMR 75 - OPT	SCD100245	SCD100253	SCD100266	PCS	5
TMR 102 - OPT	SCD100246	SCD100254	SCD100267	PCS	3
TMR 135 - OPT	SCD100247	SCD100255	SCD100268	PCS	3

OPTIMA TMQ


MADE IN ITALY

**WALL-MOUNTED TERMINAL,
SQUARE**

**EXTRÉMITÉ MURALE
CARRÉE**

**QUADRATISCHER
WANDABSCHLUSS**




WHITE
PURE



BLACK
DEEP



GREY
ANTHRACITE

MODEL	NEW LINE	ECO LINE	BROWN LINE	BLACK LINE	GREY LINE	M.U.	 Multiple order M.U.
	CODE	CODE	CODE	CODE	CODE		
TMQ60-EXC	SCD100279	SCD100285	SCD100291	SCD100297	SCD100303	PCS	5
TMQ 72-EXC	SCD100281	SCD100287	SCD100293	SCD100299	SCD100305	PCS	5
TMQ 100-EXC	SCD100283	SCD100289	SCD100295	SCD100301	SCD100307	PCS	3

KMGF



MADE IN ITALY


FLEXIBLE SLEEVE KIT FOR OPTIMA DUCT

KIT MANCHON FLEXIBLE POUR GOULOTTE OPTIMA

BAUSATZ FLEXIBLE MUFFE FÜR KANAL OPTIMA


NEW LINE



BLACK LINE



GREY LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100560	KIT OPTIMA FLEXIBLE SLEEVE MGF 75-OPT WHITE + FLEX DIAMETER 60	KIT	1
SCD100561	KIT FLEXIBLE SLEEVE OPTIMA MGF 75-OPT BLACK + FLEX DIAMETER 60	KIT	1
SCD100562	KIT FLEXIBLE SLEEVE OPTIMA MGF 75-OPT GREY + FLEX DIAMETER 60	KIT	1
SCD100563	KIT OPTIMA FLEXIBLE SLEEVE MGF 102-OPT WHITE + FLEX DIAMETER 80	KIT	1
SCD100564	KIT FLEXIBLE SLEEVE OPTIMA MGF 102-OPT BLACK + FLEX DIAMETER 80	KIT	1
SCD100565	KIT FLEXIBLE SLEEVE OPTIMA MGF 102-OPT GREY + FLEX DIAMETER 80	KIT	1

MGFO



MADE IN ITALY


FLEXIBLE SLEEVE FOR OPTIMA DUCT

MANCHON DE JONCTION FLEXIBLE POUR GOULOTTE OPTIMA

FLEXIBLE ANSCHLUSSMUFFE FÜR KANAL OPTIMA


NEW LINE



BLACK LINE



GREY LINE

AVAILABLE FROM JUNE 2025

CODE	DESCRIPTION	M.U.	Multiple order M.U.
SCD100590	OPTIMA FLEXIBLE SLEEVE MGF 75-OPT PVC WHITE	PCS	1
SCD100591	OPTIMA FLEXIBLE SLEEVE MGF 75-OPT PVC BLACK	PCS	1
SCD100592	OPTIMA FLEXIBLE SLEEVE MGF 75-OPT PVC GREY	PCS	1
SCD100593	OPTIMA FLEXIBLE SLEEVE MGF 102-OPT PVC WHITE	PCS	1
SCD100594	OPTIMA FLEXIBLE SLEEVE MGF 102-OPT PVC BLACK	PCS	1
SCD100595	OPTIMA FLEXIBLE SLEEVE MGF 102-OPT PVC GREY	PCS	1

FLEXIBLE SLEEVE KIT INSTALLATION EXAMPLE



KMF sleeve kit
for Excellens trunking




KMGF sleeve kit
for Optima trunking



Obstacle passage example with
KMGF optima sleeve kit


AESTHETIC FLANGE INSTALLATION EXAMPLE



Fix the rear part of the aesthetic
flange in correspondence with the
wall hole




Insert the refrigeration lines and
the power cable into the wall hole



Place the refrigeration pipes
and the power supply in the
corrugated protection pipe




Fix the corrugated tube to the rear
part of the aesthetic flange using
the bracket provided



Fit the terminal
and slide it down
then secure



Feed the rubber sleeve totally
into the corrugated pipe




Flare the refrigerant pipes and fix them to the taps of the outdoor unit,
connect the power supply. Approach and position
the rubber sleeve near the taps.

PROFESSIONAL FAN COIL

VERTICAL BUILT-IN INSTALLATION BOX
FOR FAN COILS WITH BUILT-IN INSPECTABLE SIPHON



 **MADE IN ITALY**



PROFESSIONAL FAN COIL



MADE IN ITALY

 **VERTICAL BUILT-IN
INSTALLATION BOX
FOR FAN COILS WITH BUILT-IN
INSPECTABLE SIPHON**

 **BOÎTIER VERTICAL DE
PRÉDISPOSITION POUR
VENTILO-CONVECTEUR
AVEC SIPHON CONTRÔLABLE
INTÉGRÉ**

 **VERTIKALE
INSTALLATIONSBOX
FÜR GEBLÄSEKONVEKTOR
MIT INTEGRIERTEM
INSPIZIERBAREM SIPHON**

N° 8 built-in installation
for pipes entry

Built-in spirit level

Tabs for fastening
drywall

Rotating joint
for condensate
pipe - fan coil

Removable siphon

Condensate drain joint

Reversible siphon
housing 180°

Supplied accessories



Removable dry siphon



Female fitting for connecting
to condensate drain pipe
Ø16/18/20/25



Rotable male fitting
for condensate drain pipe
connection Ø16/18

AVAILABLE FROM JULY 2025

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
SCD200013	VERTICAL ARRANGEMENT WITH FAN-COIL SIPHON	PCS	1

 **CONDENSATE DRAIN PIPE Ø 18 DOUBLE LAYER - SLEEVES Ø 16/18**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 18 DOUBLE REVÊTEMENT - MANCHONS Ø 16/18**

 **KONDENSATABLAUFROHR Ø 18 MIT DOPPELTER ISOLIERUNG - MUFFEN Ø 16/18**



 **MADE IN ITALY**

WITHOUT PACKAGING

CODE	DESCRIPTION	LENGTH	M.U.	 Multiple order M.U.
SCD300095	CONDENSATE DRAIN PIPE Ø 18 DOUBLE LAYER - SLEEVES Ø 16/18	50 m ROLL	PCS	1

 **CONDENSATE DRAIN PIPE Ø 20 DOUBLE LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 20 DOUBLE REVÊTEMENT - MANCHONS Ø 18/20**

 **KONDENSATABLAUFROHR Ø 20 MIT DOPPELTER ISOLIERUNG - MUFFEN Ø 18/20**



 **MADE IN ITALY**

CODE	DESCRIPTION	LENGTH	M.U.	 Multiple order M.U.
SCD300097	CONDENSATE DRAIN PIPE Ø 20 DOUBLE LAYER - SLEEVES Ø 18/20	50 m ROLL	PCS	1

 **CONDENSATE DISCHARGE PIPE Ø 20 WITH DOUBLE LAYER - SLEEVES Ø 16/18 AND Ø 18/20, ALTERNATED**

 **TUYAU D'ÉVACUATION DES CONDENSATS Ø 20 À DOUBLE REVÊTEMENT - MANCHONS Ø 16/18 ET Ø 18/20 ALTERNÉS**

 **KONDENSATABLAUFLEITUNG Ø 20 MIT DOPPELTER BESCHICHTUNG - MUFFEN Ø 16/18 UND Ø 18/20 IM WECHSEL**



 **MADE IN ITALY**

CODE	DESCRIPTION	LENGTH	M.U.	 Multiple order M.U.
SCD300086	CONDENSATE DISCHARGE PIPE Ø 20 WITH DOUBLE LAYER - SLEEVES Ø 16/18 AND Ø 18/20, ALTERNATED	50 m ROLL	PCS	1

 **CONDENSATE DRAIN PIPE Ø 18 SINGLE LAYER - SLEEVES Ø 16/18**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 18 SIMPLE REVÊTEMENT - MANCHONS Ø 16/18**

 **KONDENSATABLAUFROHR Ø 18 EINFACHBESCHICHTUNG - MUFFEN Ø 16/18**



 **MADE IN ITALY**

WITHOUT PACKAGING

CODE	DESCRIPTION	LENGTH	M.U.	 Multiple order M.U.
SCD300096	CONDENSATE DRAIN PIPE Ø 18 SINGLE LAYER - SLEEVES Ø 16/18	50 m ROLL	PCS	1

 **CONDENSATE DRAIN PIPE Ø 20 DOUBLE LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 20 DOUBLE REVÊTEMENT - MANCHONS Ø 18/20**

 **KONDENSATABLAUFROHR Ø 20 MIT DOPPELTER ISOLIERUNG - MUFFEN Ø 18/20**



 **MADE IN ITALY**

CODE	DESCRIPTION	LENGTH	M.U.	 Multiple order M.U.
SCD300087	CONDENSATE DRAIN PIPE Ø 18 SINGLE LAYER - SLEEVES Ø 16/18	50 m ROLL	PCS	1

 **CONDENSATE DRAIN PIPE Ø 20 SINGLE GRAY LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT Ø 20 SIMPLE GRIS REVÊTEMENT - MANCHONS Ø 18/20**

 **KONDENSATABLAUFROHR Ø 20 EINFACHBESCHICHTUNG - MUFFEN Ø 18/20**



 **MADE IN ITALY**



WITHOUT PACKAGING

CODE	DESCRIPTION	LENGTH	M.U.	 Multiple order M.U.
SCD300096	CONDENSATE DRAIN PIPE Ø 20 SINGLE GRAY LAYER - SLEEVES Ø 18/20	50 m ROLL	PCS	1

 **BLUE CONDENSATE DRAIN PIPE REINFORCED BY UNDER-TRACK Ø 20 SINGLE LAYER - SLEEVES Ø 18/20**

 **TUYAU DE DRAINAGE DU CONDENSAT BLEU RENFORCÉ POUR ENCASTREMENT Ø 20 MONOCOUCHE - MANCHONS Ø 18/20**

 **HELLBLAUE KONDENSATABLEITUNG VERSTÄRKT FÜR UNTERFLURVERLEGUNG MIT Ø 20 EINFACHBESCHICHTUNG - MUFFEN Ø 18/20**

 **MADE IN ITALY**



WITHOUT PACKAGING

CODE	DESCRIPTION	LENGTH	M.U.	 Multiple order M.U.
SCD300094	BLUE CONDENSATE DRAIN PIPE REINFORCED BY UNDER-TRACK Ø 20 SINGLE LAYER - SLEEVES Ø 18/20	50 m ROLL	PCS	1

 **30 M COILED PVC CONDENSATE DRAIN PIPE FOR DUCT INSTALLATION**

 **TUYAU DE DRAINAGE DU CONDENSAT EN PVC EN-ROULÉ DE 30 M POUR INSTALLATION DANS GOULOTTE**

 **30 M SPIRALFÖRMIGE PVC-KONDENSATABLEITUNG FÜR ZUM EINBAU IN KANÄLEN**



 **MADE IN ITALY**



CODE	DESCRIPTION	LENGTH	M.U.	 Pieces per box
SCD300098	30 M COILED PVC CONDENSATE DRAIN PIPE FOR DUCT INSTALLATION Ø 16	30 m ROLL.	PCS	1
SCD300099	30 M COILED PVC CONDENSATE DRAIN PIPE FOR DUCT INSTALLATION Ø 20	30 m ROLL.	PCS	1

EMPIRE EVO 600

 **FLOOR STAND**
 **SUPPORT AU SOL**
 **BODENHALTERUNG**


CODE	DESCRIPTION	M.U.	 Pieces per box
SCD500453	FLOOR STAND "EMPIRE EVO" L 1300XP600 - IVORY	PCS	1
SCD500454	FLOOR STAND "EMPIRE EVO" L 1300XP600 - GREY	PCS	1

EMPIRE EVO

 **FLOOR STAND**
 **SUPPORT AU SOL**
 **BODENHALTERUNG**


CODE	DESCRIPTION	M.U.	 Pieces per box
SCD500437	FLOOR STAND "EMPIRE EVO 480" - BLACK	PCS	1
SCD500438	FLOOR STAND "EMPIRE EVO 550" - BLACK	PCS	1
SCD500272	FLOOR STAND "EMPIRE EVO 440" - ANTHRACITE GREY RAL 7016	PCS	1
SCD500273	FLOOR STAND "EMPIRE EVO 480" - ANTHRACITE GREY RAL 7016	PCS	1
SCD500274	FLOOR STAND "EMPIRE EVO 550" - ANTHRACITE GREY RAL 7016	PCS	1



TÜV CERTIFICATION FOR OUTDOOR UNIT BRACKETS: GUARANTEE OF SAFETY AND QUALITY.

Choosing TÜV-certified brackets from Tecnosystemi means prioritizing **quality**, **safety**, and long-term **reliability**.



High Durability



Guarantee



Control and Quality



Certificate

CERTIFICAT

CERTIFICADO

CERTIFIKAT

證書

CERTIFICATE

CERTIFICATE

CERTIFICATE

CERTIFICATE

No. Z1 129005 0001 Rev. 00

Holder of Certificate:

Tecnosystemi S.p.a. Società Benefit
Via dell'industria 2/4
31029 Vittorio Veneto (TV)
ITALY

Certification Mark:



Product:

Wall bracket

(Conditioning system carrier arms)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.:

MES200220005403A00TR

Valid until:

2029-11-04

Date,

2024-11-21



Product Service

ZEUS



MADE IN ITALY


**ANTI-VIBRATION FOOT IN
VULCANISED RUBBER SBR
WITH THREADED ROD**



**PIED ANTIVIBRATOIRE EN
CAOUTCHOUC VULCANISÉ
SBR AVEC TIGE FILETÉE**



**SCHWINGUNGSDÄMPFENDER
FUSS AUS VULKANISIERTEM
GUMMI SBR MIT
GEWINDESTANGE**



ZEUS

PACK 4 PCS

CODE	DESCRIPTION	DIMENSIONS [mm]		WEIGHT CAPACITY [kg]	U.M.	 Pieces per box
		H	Ø			
SCD500472	VULCANIZED RUBBER FLOOR SUPPORT WITH THREADED ROD AND M8 WASHER	107	160	500	PCS	4

ZEUS HIGH ARTICULATED



MADE IN ITALY


**ANTI-VIBRATION FOOT IN
VULCANISED RUBBER SBR**



**PIED ANTIVIBRATOIRE EN
CAOUTCHOUC VULCANISÉ
SBR**



**SCHWINGUNGSDÄMPFENDER
FUSS AUS VULKANISIERTEM
GUMMI SBR**



ZEUS

HIGH ARTICULATED

PACK 6 PCS

CODE	DESCRIPTION	MOD.	WEIGHT CAPACITY [kg]	M.U.	 Pieces per box
SCD500351	VULCANIZED RUBBER FLOOR SUPPORT - ADJUSTABLE AND ARTICULATED - "ZEUS" H.100 LONG (PACK OF 6 PCS)	LONG	500	PCS	6

SPK-M



SBR VULCANISED RUBBER FLOOR SUPPORT WITH THREADED ROD

TECHNICAL SPECIFICATIONS

- Made of vulcanised natural rubber
- M8 threaded rod included
- M8 washer and bolt included



SUPPORT AU SOL EN CAOUTCHOUC VULCANISÉ SBR AVEC TIGE FILETÉE

CARACTÉRISTIQUES TECHNIQUES

- Fabriqué en caoutchouc naturel vulcanisé
- Tige filetée M8 fournie
- Rondelle et boulon M8 fournis



BODENSTÄNDER AUS VULKANISIERTEM SBR MIT GEWINDESTANGE

TECHNISCHE EIGENSCHAFTEN

- Aus vulkanisiertem Naturgummi
- M8-Gewindestange im Lieferumfang enthalten
- M8-Unterlegscheibe und -Schraube im Lieferumfang enthalten



SPK-M 100

SPK-M 150

SPK-M 200


PACK 4 PCS

CODE	DESCRIPTION	DIMENSIONS [mm]			LOAD CAPACITY	U.M.	Pieces per box
		A	B	C			
SCD500469	FLOOR SUPPORT SPK-M WITH THREADED ROD - 70x70x60	70	70	60	100 kg / 1 pcs	PCS	4
SCD500470	FLOOR SUPPORT SPK-M WITH THREADED ROD - 80x80x80	80	80	80	150 kg / 1 pcs	PCS	4
SCD500471	FLOOR SUPPORT SPK-M WITH THREADED ROD - 100x100x80	100	100	80	200 kg / 1 pcs	PCS	4

TS-COVER SILENT WALL



AESTHETIC SOUNDPROOF PROTECTION FOR EXTERNAL WALL-MOUNTED UNITS



PROTECTION ESTHÉTIQUE INSONORISÉE POUR UNITÉS EXTERNES MURALES



SCHALLGEDÄMMTE DESIGN- SCHUTZABDECKUNG FÜR WANDMONTAGE AUSSENGERÄTE


**Noise reduction
up to 9,4 dB(A)**

CODE	DESCRIPTION	COLOUR	M.U.	Multiple order M.U.
SCD500446	TS-COVER SILENT WALL - IVORY	IVORY RAL 9002	PCS	1
SCD500447	TS-COVER SILENT WALL - GREY	ANTHRACITE GREY RAL 7016	PCS	1

TS-COVER SILENT FLOOR


MADE IN ITALY

**AESTHETIC SOUNDPROOF
PROTECTION FOR EXTERNAL
FLOOR-MOUNTED UNITS**

**PROTECTION ESTHÉTIQUE
INSONORISÉE POUR UNITÉS
EXTERNES AU SOL**

**SCHALLGEDÄMMTE DESIGN-
SCHUTZABDECKUNG
FÜR BODENMONTIERTE
AUSSENGERÄTE**


**Noise reduction
up to 9,4 dB(A)**

CODE	DESCRIPTION	COLOUR	M.U.	 Multiple order M.U.
SCD500448	TS-COVER SILENT FLOOR - IVORY	IVORY RAL 9002	PCS	1
SCD500449	TS-COVER SILENT FLOOR - GREY	ANTHRACITE GREY RAL 7016	PCS	1

TS-COVER SILENT BOX


MADE IN ITALY

**AESTHETIC SOUNDPROOF
PROTECTION FOR EXTERNAL
FREE-STANDING UNITS**


**PROTECTION ESTHÉTIQUE
INSONORISÉE POUR UNITÉS
EXTERNES EN ÎLOT**

**SCHALLGEDÄMMTE DESIGN-
SCHUTZABDECKUNG
FÜR FREILIEGENDE
AUSSENGERÄTE**


**Noise reduction
up to 13,3 dB(A)**

CODE	DESCRIPTION	COLOUR	M.U.	 Multiple order M.U.
SCD500450	TS-COVER SILENT BOX - IVORY	IVORY RAL 9002	PCS	1
SCD500451	TS-COVER SILENT BOX - GREY	ANTHRACITE GREY RAL 7016	PCS	1

- 
INSULATED DISTRIBUTION PLENUM H 160 FOR CMV FOR FLEXIBLE DUCTED HOSE 6-8 OUTPUTS Ø 75 E Ø 90 WITH SLEEVES COMPLETE WITH CALIBRATION DAMPER WITH ADJUSTMENT
- 
PLÉNUM ISOLÉ DE DISTRIBUTION H 160 POUR VMC POUR TUBE FLEXIBLE CANALISÉ 6-8 SORTIES Ø 75 ET Ø 90 AVEC MANCHONS DOTÉS DE REGISTRE RÉGLABLE
- 
ISOLIERTES VERTEILER- PLENUM H 160 FÜR VMC FÜR KANALISIERTEN SCHLAUCH 6-8 AUSGÄNGE Ø 75 UND Ø 90 MIT MUFFEN, KOMPLETT MIT STELLSCHIEBER MIT REGULIERUNG



Example plenum 8 outputs


CODE	DESCRIPTION	M.U.	 Multiple order M.U.
ACD600158	DISTRIBUTION PLENUM IN INSULATED SHEET METAL 6 OUTLETS Ø75 WITH INLET Ø150	PCS	1
ACD600159	DISTRIBUTION PLENUM IN INSULATED SHEET METAL 8 OUTLETS Ø75 WITH INLET Ø150	PCS	1
ACD600160	DISTRIBUTION PLENUM IN INSULATED SHEET METAL 6 OUTLETS Ø90 WITH INLET Ø150	PCS	1
ACD600161	DISTRIBUTION PLENUM IN INSULATED SHEET METAL 8 OUTLETS Ø90 WITH INLET Ø150	PCS	1

TS-HRVU


MADE IN ITALY

 **VENTILATION UNIT WITH HEAT RECOVERY**
 **UNITÉ DE VENTILATION AVEC RÉCUPÉRATION DE CHALEUR**
 **LÜFTUNGSEINHEIT MIT WÄRMERÜCKGEWINNUNG**

A
From 120 to 320 m³/h


Made in RECYCLED EPP (PPE)


**Extractable ISO
Coarse filters
60% G4**



**Modbus BMS
connection**



**Thermo-acoustic
insulation**




**Brushless EC
motors**



Antifreeze feature



**Reversible upon
assembly**



**90° adjustable
aeraulic
connections**




**4 temperature
sensors**



**Free Cooling
Free Heating**

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
ACD200068	HRVU HEAT RECOVERY UNIT TS120 0/10V	PCS	1
ACD200067	HRVU TS180 RF HEAT RECOVERY UNIT	PCS	1
ACD200066	HRVU TS250 RF HEAT RECOVERY UNIT	PCS	1
ACD200075	HRVU TS320 RF HEAT RECOVERY UNIT	PCS	1
ACD200072	HRVU TS380 RF HEAT RECOVERY UNIT	PCS	1
ACD200073	HRVU TS500 RF HEAT RECOVERY UNIT	PCS	1
ACD200069	CONTROL FOR CMV DISPLAY WITH PROGRAMMING	PCS	1
ACD200070	CLOSING PLATE FOR CONTROLS BOX503	PCS	1
ACD200071	FILTER F7 ISO EMP >50% FOR MOD. 120-180-250-320 M3H PLEATED	PCS	1
ACD200074	FILTER F7 ISO EPM1 >50% FOR MOD. 380-500 M3H PLEATED	PCS	1



MINI-LED ASTRA

 **MADE IN ITALY**

 **WALL-MOUNTED TOUCH
THERMOSTAT IN RADIO
FREQUENCY WITH BATTERIES**

 **THERMOSTAT TACTILE MURAL
À FRÉQUENCE RADIO AVEC
PILES**

 **WANDMONTIERTER TOUCH-
THERMOSTAT
IN HOCHFREQUENZ MIT
BATTERIEN**



CODE	DESCRIPTION	M.U.	 Multiple order M.U.
GAD100016	MINI-LED WALL-MOUNTED TOUCH THERMOSTAT ASTRA	PCS	1

PRO AIR PACK RF 2-3-4-5-6 ZONES WITH MINI-LED ASTRA



MADE IN ITALY




KIT RAPID WITH PLENUM AND PLASTIC GRILLS ANTICONDENSATION WITH ADJUSTABLE FLAPS WITH CONNECTIONS Ø 125

Pag. 87

Example of 3 zones Ø 125

INTAKE GRILLE
WITH FILTER,
inst. hole 600 x 400mm




KIT RAPID WITH PLENUM AND PLASTIC GRILLS ANTICONDENSATION WITH ADJUSTABLE FLAPS WITH CONNECTIONS Ø 150

Pag. 88-89

Example of 3 zones Ø 150

INTAKE GRILLE
WITH FILTER,
inst. hole 600 x 400mm




KIT RAPID WITH PLENUM AND PLASTIC GRILLS ANTICONDENSATION WITH ADJUSTABLE FLAPS WITH CONNECTIONS Ø 200

Pag. 90-91

Example of 3 zones Ø 200

INTAKE GRILLE
WITH FILTER,
inst. hole 600 x 400mm



ZEFIRO BOX



 **MADE IN ITALY**




**TELESCOPIC PLENUM IN
WHITE ANTI-CONDENSATION
POLYSTYRENE PLASTIC**



**PLÉNUM TÉLESCOPIQUE EN
PLASTIQUE POLYSTYRÈNE
BLANC ANTI-CONDENSATION**




**TELESKOPISCHES
PLENUM AUS WEISSEM
PS-KUNSTSTOFF MIT
KONDENSATSCHUTZ**



Spirit level supplied for models with a depth of 150 to 200

Zefiro  **Box**

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
PWD402430	PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 200X100 GRILLE	PCS	1
PWD402431	PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 300X100 GRILLE	PCS	1
PWD402432	PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 400X100 GRILLE	PCS	1
PWD402433	PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 300X150 GRILLE	PCS	1
PWD402434	PLENUM IN PS WITH TELESCOPIC REAR COLLAR FOR 400X150 GRILLE	PCS	1
ACD600091	CMV BOX BRACKET KIT	KIT	1



Example of fixing on masonry




Example of fixing on masonry with plaster



Fixing by means of screws

Example of fixing on plasterboard



Example of fixing on plasterboard with BPAP model grille

LINEAR DELIVERY DIFFUSERS IN ANTI-CONDENSATE PVC PLASTIC AND ALUMINIUM



LINEAR DELIVERY DIFFUSERS
IN ANTI-CONDENSATE PVC
PLASTIC WITH DAMPER
1-2-3-4 SLOTS



DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN PLASTIQUE
PVC ANTI-CONDENSATION
AVEC REGISTRE
À 1-2-3-4 FENTES



LINEARER ZULUFT-
DIFFUSOR AUS PVC MIT
KONDENSATSCHUTZ MIT
SCHIEBER - 1-2-3-4 SCHLITZE




LINEAR DELIVERY DIFFUSERS
IN ALUMINIUM WITH DAMPER
1-2-3-4 SLOTS



DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN ALUMINIUM
AVEC REGISTRE
À 1-2-3-4 FENTES



LINEARER ZULUFT-DIFFUSOR
AUS ALUMINIUM MIT
SCHIEBER - 1-2-3-4 SCHLITZE



MATT
WHITE

- | | | |
|--|--|---|
|  LINEAR DELIVERY DIFFUSERS
IN ANTI-CONDENSATE PVC
PLASTIC WITH DAMPER
AND CENTRAL BAFFLE
1-2-3-4 SLOTS |  DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN PLASTIQUE
PVC ANTI-CONDENSATION
AVEC REGISTRE ET
DÉFLECTEUR CENTRAL
À 1-2-3-4 FENTES |  LINEARER ZULUFT-
DIFFUSOR AUS PVC MIT
KONDENSATSCHUTZ
MIT SCHIEBER UND
ZENTRALER STÖRKLAPPE -
1-2-3-4 SCHLITZE |
|--|--|---|


- | | | |
|--|--|--|
|  LINEAR DELIVERY DIFFUSERS
IN ALUMINIUM WITH DAMPER
AND CENTRAL BAFFLE
1-2-3-4 SLOTS |  DIFFUSEUR LINÉAIRE DE
REFOULEMENT EN ALUMINIUM
AVEC REGISTRE ET
DÉFLECTEUR CENTRAL
À 1-2-3-4 FENTES |  LINEARER ZULUFT-DIFFUSOR
AUS ALUMINIUM MIT
SCHIEBER UND ZENTRALER
STÖRKLAPPE - 1-2-3-4
SCHLITZE |
|--|--|--|




MATT
WHITE

- | | | |
|---|---|---|
|  LINEAR INTAKE DIFFUSERS
IN ANTI-CONDENSATE PVC
PLASTIC
1-2-3-4 SLOTS |  DIFFUSEUR LINÉAIRE DE
RÉCUPÉRATION EN PLASTIQUE
PVC ANTI-CONDENSATION
À 1-2-3-4 FENTES |  LINEARER RÜCKLAUF-
DIFFUSOR AUS PVC MIT
KONDENSATSCHUTZ - 1-2-3-4
SCHLITZE |
|---|---|---|

- | | | |
|---|---|---|
|  LINEAR INTAKE DIFFUSERS
IN ALUMINIUM
1-2-3-4 SLOTS |  DIFFUSEUR LINÉAIRE DE
RÉCUPÉRATION EN
ALUMINIUM À 1-2-3-4 FENTES |  LINEARER RÜCKLAUF-
DIFFUSOR AUS ALUMINIUM
MIT - 1-2-3-4 SCHLITZE |
|---|---|---|




MATT
WHITE

 **LINEAR RETRACTING
DELIVERY AND INTAKE
DIFFUSERS IN
ANTI-CONDENSATE PVC
PLASTIC WITH INSULATED
PLENUM**

 **DIFFUSEUR LINÉAIRE
DE RÉCUPÉRATION
ESCAMOTABLE EN PLASTIQUE
PVC ANTI-CONDENSATION ET
PLÉNUM ISOLÉ**

 **LINEARER ZULUFT-DIFFUSOR
- UNTERPUTZ - AUS PVC MIT
KONDENSATSCHUTZ MIT
SCHIEBER UND ISOLIERTEM
PLENUM**

 **LINEAR RETRACTING
DELIVERY AND INTAKE
DIFFUSERS IN ALUMINIUM
WITH INSULATED PLENUM**

 **DIFFUSEUR LINÉAIRE
DE RÉCUPÉRATION
ESCAMOTABLE EN
ALUMINIUM AVEC
PLÉNUM ISOLÉ**

 **LINEARER ZULUFT-DIFFUSOR
- UNTERPUTZ - AUS
ALUMINIUM MIT SCHIEBER
UND ISOLIERTEM PLENUM**




MATT
WHITE


MATT
BLACK

 **LOWERED INSULATED
PLENUM WITH UPPER
COUPLER FOR LINEAR
DIFFUSER WITH 1-2-3-4 SLOTS**

 **PLÉNUM ISOLÉ SURBAISSÉ
AVEC RACCORD SUPÉRIEUR
POUR DIFFUSEUR LINÉAIRE
À 1-2-3-4 FENTES**

 **ISOLIERTES ABGESENKTES
PLENUM MIT OBEREM
ANSCHLUSS FÜR LINEAREN
DIFFUSOR 1-2-3-4 SCHLITZE**




Image referring to the model with a slot


**THERMAL FLEXIBLE DUCTED
PIPE - DOUBLE-WALLED
ARMOURED ALUMINIUM
PHONIC**


**TUBE FLEXIBLE CANALISÉ
THERMIQUE - PHONIQUE EN
ALUMINIUM À DOUBLE PAROI
BLINDÉ**


**KANALISIERTER
SCHLAUCH, WÄRME- UND
SCHALLDÄMPFEND -
AUS ALUMINIUM,
DOPPELWANDIG GEPANZERT**



CODE	DESCRIPTION	INNER Ø [mm]	M.U.	 Multiple order M.U.
PWC400021	EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMOURED ALUMINIUM PHONIC Ø102 mm L.10 m	102	PCS	1
PWC400022	EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMOURED ALUMINIUM PHONIC Ø127 mm L.10 m	127	PCS	1
PWC400023	EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMOURED ALUMINIUM PHONIC Ø152 mm L.10 m	152	PCS	1
PWC400024	EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMOURED ALUMINIUM PHONIC Ø165 mm L.10 m	165	PCS	1
PWC400025	EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMOURED ALUMINIUM PHONIC Ø204 mm L.10 m	204	PCS	1
PWC400026	EN 13501-1 THERMAL FLEXIBLE DUCTED PIPE - DOUBLE-WALLED ARMOURED ALUMINIUM PHONIC Ø254 mm L.10 m	254	PCS	1

BBR



**TWO-STAGE VACUUM PUMP
WITH RECHARGEABLE
BATTERY AND VACUUM
GAUGE IN CARRYING CASE**



**POMPE À VIDE À DEUX
ÉTAGES AVEC BATTERIE
RECHARGEABLE ET
VACUOMÈTRE DANS UNE
MALLETTE**



**ZWEISTUFIGE
VAKUUMPUMPE MIT
WIEDERAUFLADBARER
BATTERIE UND
VAKUUMMETER IM KOFFER**



CE

R32

CODE	DESCRIPTION	M.U.	Multiple order M.U.
TSC100043	TWO-STAGE VACUUM PUMP MODEL TS84 BBR FOR R32 GAS	PCS	1
TSC100044	TWO-STAGE VACUUM PUMP MODEL TS122 BBR FOR R32 GAS	PCS	1

BEV-BO



**TWO-STAGE VACUUM PUMP
FOR R32 GAS**



**POMPE À VIDE À DEUX
ÉTAGES POUR GAZ R32**



**ZWEISTUFIGE VAKUUMPUM-
PE MIT MAGNETVENTIL FÜR
R32-GAS**



CE

R32

CODE	DESCRIPTION	M.U.	Pieces per box
TSC100042	TWO-STAGE VACUUM PUMP TS340 "BEV-BO" FOR GAS R32	PCS	1

BEV-MB

-  **TWO-STAGE VACUUM PUMP WITH RECHARGEABLE BATTERY AND VACUUM GAUGE IN CARRYING CASE**
-  **POMPE À VIDE À DEUX ÉTAGES AVEC ÉLECTROVANNE ET VACUOMÈTRE INTÉGRÉS EN BAIN D'HUILE POUR GAZ R32 AVEC MOTEUR SANS BALAIS**
-  **ZWEISTUFIGE VAKUUMPUMPE MIT INTEGRIERTEM MAGNETVENTIL UND ÖLBAD-VAKUUMMETER FÜR GAS R32 MIT BRUSHLESS-MOTOR**



CE

R32

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
TSC100035	TWO-STAGE VACUUM PUMP TS56 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS	PCS	1
TSC100036	TWO-STAGE VACUUM PUMP TS84 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS	PCS	1
TSC100037	TWO-STAGE VACUUM PUMP TS112 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS	PCS	1
TSC100038	TWO-STAGE VACUUM PUMP TS168 BEV-MB WITH BRUSHLESS MOTORS FOR R32 GAS	PCS	1

RHTSB

-  **1 HP RECOVERY AND RECYCLING STATION WITH BRUSHLESS MOTORS FOR R32 GAS**
-  **STATION DE RÉCUPÉRATION ET DE RECYCLAGE DE 1 HP AVEC MOTEURS SANS BALAIS POUR GAZ R32**
-  **RÜCKGEWINNUNGS- UND RECYCLINGSTATION ZU 1 HP MIT BRUSHLESS-MOTOREN FÜR GAS R32**



CE

R32

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
TSC100046	1 HP RECOVERY AND RECYCLING STATION WITH BRUSHLESS MOTORS FOR R32 GAS	PCS	1

 **4-WAY DRY GAUGE UNIT FOR R290 - 600**

 **GROUPE MANOMÉTRIQUE À SEC 4 VOIES POUR R290 - 600**

 **4-WEGE TROCKENMANOMETER-BAUSATZ FÜR R290 - 600**



R290

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
TSC200019	4-WAY PRESSURE GAUGE UNIT R290/600	PCS	1


 **STRAIGHTENER FOR COPPER PIPES**

 **REDRESSEUR POUR TUBES EN CUIVRE**

 **GERADEBIEGER FÜR KUPFERROHRE**



CE



CODE	DESCRIPTION	M.U.	 Multiple order M.U.
TSD600001	STRAIGHTENER FOR COPPER PIPE CT-302-02 1/8"	PCS	1
TSD600002	STRAIGHTENER FOR COPPER PIPE CT-302-05 5/16"	PCS	1
TSD600003	STRAIGHTENER FOR COPPER PIPE CT-302-08A 1/2"	PCS	1
TSD600004	STRAIGHTENER FOR COPPER PIPE CT-302-10 5/8"	PCS	1
TSD600005	STRAIGHTENER FOR COPPER PIPE CT-302-12 3/4"	PCS	1

 CORNER BALL VALVE 7/16 F - 1/4 M SAE

 ROBINET À BILLE D'ANGLE 7/16 F - 1/4 M SAE

 ECKVENTIL-KUGELHAHN 7/16 F - 1/4 M SAE



CE



R32

CODE	DESCRIPTION	M.U.	 Multiple order M.U.
TSC300007	CORNER BALL VALVE CYLINDER R 600A 1 litre	PCS	1

 BENDING KIT

 KIT DE COURBURE


 BIEGESATZ



Example


CODE	DESCRIPTION	M.U.	 Multiple order M.U.
TSC600081	BENDING KIT - 5 PCS. (1/4", 3/8", 1/2", 5/8", 3/4")	KIT	1
TSC600082	BENDING KIT - 3 PCS. (1/2", 5/8", 3/4")	KIT	1
TSC600083	BENDING KIT - 3 PCS. (1/4", 3/8", 1/2")	KIT	1

STAY UP TO DATE ON UR NEW PRODUCTS



www.tecnosystemi.com

FOLLOW US ON OUR SOCIAL NETWORK





Tecnosystemi S.p.A. Società Benefit

PLANT 1 / Via dell'Industria, 2/4
PLANT 2 / Via Caduti del Lavoro, 7
PLANT 3 / Via Caduti del Lavoro, 5
Z.I. San Giacomo di Veglia
31029 Vittorio Veneto (Treviso)

Tel +39 0438.500044

Fax +39 0438.501516

info@tecnosystemi.com

C.F. - P. IVA - R.I.TV IT02535780247

Cap. Soc. € 5.000.000,00 i.v.

www.tecnosystemi.com

