



Apply Air

Air Curtains and Accessories

AIR CURTAINS



AIRJET


CENTRIFUGAL AIR CURTAIN WITH UPPER EXTRACTION WITH BUILT-IN LED BAR LIGHT

TECHNICAL SPECIFICATIONS


- 4 models in white
- 3 speeds selectable by remote control or interface
- Air curtains are designed for indoor use
- Automatic starter kit on request
- Lower bar with LED light strip
- Backlit LCD display
- Upper air intake
- The unit must be installed horizontally




Accessories




LCD Display



Installation example



LED Light bar



ARIA 1 POTENZA

INDUSTRIAL CENTRIFUGAL AIR CURTAIN LARGE FLOW RATES WITH FRONT EXTRACTION

TECHNICAL SPECIFICATIONS

This high-performance air curtain uses three-phase motors to provide maximum airflow. Its performance allows installations up to heights of 5 m, creating actual barriers on large gates, such as industrial gates, leaving free the manoeuvring passage of persons or vehicles. The unit can be placed on the ceiling and must be installed horizontally.

Accessories




ARIA 3 SILENCE

TANGENTIAL AIR CURTAIN WITH UPPER EXTRACTION

TECHNICAL SPECIFICATIONS

- 4 models in white
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Panel with 3 LEDs
- Automatic starter kit on request
- Upper air intake
- The unit must be installed horizontally

Accessories




ARIA 3 SILENCE

TANGENTIAL AIR CURTAIN WITH UPPER EXTRACTION WITH SINGLE ELECTRICAL HEATING ELEMENT

TECHNICAL SPECIFICATIONS

- 8 models in white
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Panel with coloured LEDs to indicate operating mode
- Automatic starter kit on request
- Upper air intake
- Electric heater operated by remote control
- The unit must be installed horizontally

Accessories




ARIA 4 INNOVATION

TANGENTIAL AIR BARRIER WITH ELECTRICAL RESISTANCE PTC WITH SUPERIOR SUCTION

TECHNICAL SPECIFICATIONS

- 3 models in white
- Front body in alluminium
- PTC heating elements
- Barriers designed for indoor use
- Horizontal installation
- Control buttons on the front body
- Remote control for 2 speed control
- 3 heating levels
- Punctual LED for heating level indication

Accessories




ARIA 3 SILENCE FRONT

TANGENTIAL AIR CURTAIN WITH FRONT EXTRACTION

TECHNICAL SPECIFICATIONS

- 4 models in white
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Panel with 3 LEDs
- Automatic start-up kit on request
- Front air intake
- The unit must be installed horizontally

Accessories



MADE IN ITALY **Aria3**
SILENCE
FRONT


ARIA 2 ELEGANCE H2O

BUILT-IN CENTRIFUGAL AIR CURTAIN WITH HOT WATER BATTERY

TECHNICAL SPECIFICATIONS

- 3 models in white
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Total integration in the false ceiling
- The unit must be installed horizontally
- Installation height max. 3 m

Accessories



Aria2
ELEGANCE H2O


ARIA 2 ELEGANCE T

BUILT-IN TANGENTIAL AIR CURTAIN AT ROOM TEMPERATURE

TECHNICAL SPECIFICATIONS

- 3 models in white
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Total integration in the false ceiling
- The unit must be installed horizontally
- Maximum installation height 2.2 m

Accessories



MADE IN ITALY **Aria2**
ELEGANCE T


ARIA 2 ELEGANCE CR

BUILT-IN CENTRIFUGAL AIR CURTAIN WITH ELECTRICAL HEATING ELEMENT

TECHNICAL SPECIFICATIONS

- 3 models in white
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Automatic start-up kit on request
- Total integration in the false ceiling
- The unit must be installed horizontally
- Installation height max 3 m

Accessories



Aria2
ELEGANCE CR


ARIA 2 ELEGANCE TR

BUILT-IN TANGENTIAL AIR CURTAIN WITH HEATING ELEMENT

TECHNICAL SPECIFICATIONS

- 6 models in white
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Automatic start-up kit on request
- Total integration in the false ceiling
- Option to partialise operation of electric elements
- The unit must be installed horizontally
- Installation height max. 2.2 m

Accessories



MADE IN ITALY **Aria2**
ELEGANCE TR


ARIA 2 ELEGANCE

BUILT-IN CENTRIFUGAL AIR CURTAIN AT ROOM TEMPERATURE

TECHNICAL SPECIFICATIONS

- 3 models in white
- With speed controller supplied
- Air curtains are designed for indoor use
- Flow adjustment via flaps
- Total integration in the false ceiling
- The unit must be installed horizontally
- Installation height max 3.5 m

Accessories



Aria2
ELEGANCE


AIRFOR 3 UP

**BUILT-IN CENTRIFUGAL AIR CURTAIN
WITH UPPER EXTRACTION**

TECHNICAL SPECIFICATIONS

- 2 models in white
- Operating temperature: + 50°C to -10°C
- 3 speeds operated by remote control or manually
- Air curtains are designed for indoor use.
- Upper air intake
- The unit must be installed horizontally
- Maximum installation height 3.5 m

Accessories



CE AirFor3
UP


AIRFOR 3 FRONT

**CENTRIFUGAL AIR CURTAIN
WITH FRONT EXTRACTION**

TECHNICAL SPECIFICATIONS

- 2 models in white
- Operating temperature + 50°C - 10°C
- 3 speeds operated by remote control or manually
- Air curtains are designed for indoor use
- Front air intake
- The unit must be installed horizontally
- Maximum installation height 3.5 m

Accessories



CE AirFor3
FRONT


AIRFOR 3 STYLE

**UPPER SUCTION CENTRIFUGAL AIR BARRIER
WITH ABS SHELL**

TECHNICAL SPECIFICATIONS

- 3 models in white
- Operating temperature: + 50°C to -10°C
- 3 speeds operated by remote control or manually
- Air curtains are designed for indoor use.
- Upper air intake
- The unit must be installed horizontally
- Maximum installation height 4 m

Accessories



CE AirFor3
STYLE


AIRFOR 3 CR

**CENTRIFUGAL AIR CURTAIN WITH FRONT EXTRACTION
WITH ELECTRIC HEATING ELEMENT**

TECHNICAL SPECIFICATIONS

- 3 models in white with speed controller supplied
- 3 speeds operated by remote control
- Air curtains are designed for indoor use
- Front air intake
- The unit must be installed horizontally
- Maximum installation height 3 m

Accessories



MADE IN ITALY CE AirFor3
CR


AIRFOR 3 WALL

**CENTRIFUGAL AIR CURTAIN
WITH UPPER EXTRACTION**

TECHNICAL SPECIFICATIONS

- 3 models in white with speed controller supplied
- Air curtains are designed for indoor use
- Upper air intake
- The unit must be installed horizontally.
- Maximum installation height 3 m

Accessories



CE AirFor3
WALL


AIRFOR 3 H2O

**CENTRIFUGAL AIR CURTAIN WITH FRONT EXTRACTION
WITH HOT WATER BATTERY**

TECHNICAL SPECIFICATIONS

- 3 models in white with speed controller supplied
- 1/2" water exchanger couplings
- Air curtains are designed for indoor use
- Front air intake
- The unit must be installed horizontally
- Maximum installation height 3 m

Accessories



MADE IN ITALY CE AirFor3
H2O

CONFIGURE YOUR AIR CURTAIN



On the website [tecnosystemi.com](https://www.tecnosystemi.com)



Automatically generate **quotes** and **technical data sheet** for the chosen products



REJECTS

Summer Heat



Pollution



Bad Smells



Noise



Winter Cold



Dust



HOLDS

→ Hot air

→ Cold air

→ Clean air

Tecnosystemi S.p.A. Società Benefit

PLANT 1 – Via dell'Industria, 2/4 | PLANT 2 – Via Caduti del Lavoro, 7 | PLANT 3 – Via Caduti del Lavoro, 5

Z.i. San Giacomo di Veglia - 31029 Vittorio Veneto (TV)

Tel. +39 0438.500044 | info@tecnosystemi.com | www.tecnosystemi.com

C.F. - P.IVA - R.I. TV 02535780247 - Cap. Soc. € 5.000.000,00 i.v.

