



Smart Clima

Accessories for Air Conditioning

RANGE OF CAGES FOR OUTDOOR UNIT



 **Tecnosystemi**
group



WITHOUT CAGE



WITH CAGE



Easy to assemble



Anti UVA



High-resistance



Noise reduction

with panels
soundproof



Sophisticated design




Paintable models




Customisable




PLUS




Provision for conduit, piping,
and wiring passage




Side door for inspection
and maintenance




Protects against weather
conditions



Air passages designed to ensure
optimal ventilation



Easily customizable
in both size and color



Quick and easy assembly


TS-COVER SILENT WALL, BOX E FLOOR

SOUNDPROOF CAGE



- Galvanized sheet with longitudinal opening for ventilation
- External polyester painting
- Coated internally with sound-absorbing material that guarantees better performance in terms of sound insulation
- Predisposition for lateral passage pipe duct and wiring
- Easy to assemble
- Officially declared data according to UNI EN ISO 11546-2:2009

NEW





L [mm]	H [mm]	P [mm]
1150	1020	600




Types of installations

WALL




Noise reduction
9,4 dB(A)

BOX



Noise reduction
13,3 dB(A)

FLOOR




Noise reduction
9,4 dB(A)


SOUND-ABSORBING MATERIAL. POLYESTER FIBER.

Polyester fiber is sound-absorbing due to its porous structure, which traps sound waves, dissipating acoustic energy and reducing noise.

Its elasticity and resistance to compression help attenuate sound vibrations, making it effective in environments where acoustic insulation is required.



Noise reduction
from 9,4 to 13,3 dB(A)




TS COVER

CAGE WITH FLAT ROOF

- Galvanised sheet made with anti-intrusion weave
- External polyester painting
- Side arrangement for pipe duct passage and wiring
- Ready for wall mounting
- Easy to assemble
- Back and bottom are available on request

 RAL 7016  RAL 9002

 Back and bottom free




L [mm]	H [mm]	P [mm]
900	700	500
1100	850	600
1150	1200	650
1200	1500	750


TS COVER

CAGE WITH 5° TILTED ROOF

- Galvanised sheet made with anti-intrusion weave
- External polyester painting
- Side arrangement for pipe duct passage and wiring
- Ready for wall mounting
- Easy to assemble
- Back and bottom are available on request

 RAL 7016  RAL 9002

 Back and bottom free




L [mm]	H [mm]	P [mm]
900	700	500
1100	850	600
1150	1200	650
1200	1500	750




TS COVER BOX

FREESTANDING FINISHING PROTECTION FOR OUTDOOR UNIT WITH 5° TILTED ROOF

- Galvanized sheet with longitudinal opening for ventilation
- External polyester painting
- Predisposition for lateral passage pipe duct and wiring
- Includes side inspection and maintenance door
- Ideal for installation of external drives on Infinity floor mounts (e.g. SCD500012, SCD500013)
- Easy to assemble





L [mm]	H [mm]	P [mm]
1150	1020	600



GUSCIO

CAGE WITH FLAT ROOF

- Galvanised sheet made with anti-intrusion weave
- External polyester painting RAL 9002
- Galvanised metal sheet roof with anti-intrusion weft
- Ready for transit of duct, tubing and wiring
- Side hatch for inspection and maintenance with padlock
- Ready for wall mounting
- Height-adjustable
- Easy to assemble
- Matt RAL 7016 grey version, available on request




L [mm]	H [mm]	P [mm]
1000	720	470
1100	1120	620
1100	1420	620

GUSCIO

CAGE WITH 5° SLOPED ROOF

- Galvanised sheet made with anti-intrusion weave
- External polyester painting RAL 9002
- Galvanised metal sheet roof with anti-intrusion weft
- Ready for transit of duct, tubing and wiring
- Side hatch for inspection and maintenance with padlock
- Ready for wall mounting
- Height-adjustable
- Easy to assemble



L [mm]	H [mm]	P [mm]
1000	720	470
1100	1120	620
1100	1420	620



Tecnosystemi S.p.A. Società Benefit

PLANT 1 – Via dell'Industria, 2/4 | PLANT 2 – Via Caduti del Lavoro, 7 | PLANT 3 – Via Caduti del Lavoro, 5

Z.i. San Giacomo di Veglia - 31029 Vittorio Veneto (TV)

Tel. +39 0438.500044 | info@tecnosystemi.com | www.tecnosystemi.com

C.F. - P.IVA - R.I. TV 02535780247 - Cap. Soc. € 5.000.000,00 i.v.

