




**Smart Clima**

Accessories for Air Conditioning

# BUILT-IN INSTALLATION BOX AND ACCESSORIES FOR SPLIT SYSTEMS




## WHY CHOOSE THE BUILT-IN INSTALLATION BOXES TECNOSYSTEMI



The shockproof polystyrene built-in installation boxes are equipped with 6 inlets for the refrigeration lines. They are equipped with two adjustable plates, useful for fixing the indoor unit. The conveyor positioned at the back, is equipped with a grille in addition to its particular funnel shape that prevents water from stagnating, is equipped with an innovative inspectable siphon, which guarantees protection from the reflux of bad smells.

To facilitate the installation, the preparation is provided with support feet and with a built-in levelling device.



## PROFESSIONAL FAN COIL

### VERTICAL BUILT-IN INSTALLATION BOX FOR FAN COILS WITH BUILT-IN INSPECTABLE SIPHON



NEW

- Made of shockproof polystyrene
- Certified recycled material
- With removable built-in siphon
- Ideal for fixing on walls and plasterboard with fins
- Fixing on plasterboard with screws on the six side flaps
- Built-in spirit level
- Attachment slots for fixed pipe clamps
- Designed to be used vertically on the wall to contain the delivery and return pipes
- Dimensions: 470 x 160 x 85 mm



### Accessories



Removable dry siphon



Female fitting for connecting to condensate drain pipe Ø16/18/20/25



Rotatable male fitting for condensate drain pipe connection Ø16/18



## PROFESSIONAL FAN COIL

VERTICAL BUILT-IN INSTALLATION BOX  
FOR FAN COILS WITH BUILT-IN INSPECTABLE SIPHON

MADE IN ITALY



NEW

8 entry points  
for pipe inlets

Condensate drain  
Fan coil

Condensate collection tray

Condensate  
drain pipe

Fixing flaps  
for plasterboard or  
masonry support

Removable  
anti-odour siphon



Example of installation with built-in installation box on masonry




Example after installation

## ELISYUM HYDRONIC ELITE



### BUILT-IN INSTALLATION BOX WITH SIPHON

- Right/left reversible tilted rear conveyor with multiple side coupling Ø 16 - Ø 20
- Protection grille
- Adjustable template fastening plates
- Built-in spirit level
- Built-in siphon with hermetic cover
- Anti-condensation cavity
- Anti-plaster cardboard
- Interlocking cover or with screws
- Holes for fastening to plasterboard walls
- Ideal for applications with insulated pipes with a diameter of 52 mm



Virtual reality



## ELISYUM HYDRONIC CLASSIC




### BUILT-IN INSTALLATION BOX

- Right/left reversible tilted rear conveyor with multiple side coupling Ø 16 - Ø 20
- Protection grille
- Adjustable template fastening plates
- Built-in spirit level
- Anti-plaster cardboard
- Interlocking cover or with screws
- Holes for fastening to plasterboard walls
- Ideal for applications with insulated pipes with a diameter of 52 mm



Virtual reality




Example of installation for hydronic internal unit with copper pipe + insulated until ø 52mm

## PROFESSIONAL SPLIT ELITE



### BUILT-IN INSTALLATION BOX WITH SIPHON

- Right/left reversible tilted rear conveyor with multiple side coupling Ø 16 - Ø 20
- Protection grille
- Adjustable template fastening plates
- Built-in spirit level
- Built-in siphon with hermetic cover
- Anti-condensation cavity
- Anti-plaster cardboard
- Interlocking cover or with screws



Virtual reality



Video




## PROFESSIONAL SPLIT PLUS



### BUILT-IN INSTALLATION BOX

- Right/left reversible tilted rear conveyor with multiple side coupling Ø 16 - Ø 20
- Protection grille
- Adjustable template fastening plates
- Built-in spirit level
- Anti-plaster cardboard
- Interlocking cover or with screws




## PROFESSIONAL SPLIT CLASSIC



### BUILT-IN INSTALLATION BOX

- Right/left reversible tilted rear conveyor with multiple side coupling Ø 16 - Ø 20
- Protection grille
- Anti-plaster cardboard
- Interlocking cover or with screws




## FLAT SPLIT CLASSIC



### BUILT-IN INSTALLATION BOX

- Right/left reversible tilted rear conveyor with Ø 20 vertical coupling
- Protection grille
- Anti-plaster cardboard
- Interlocking cover or with screws



## COMPACT SPLIT ELITE



### BUILT-IN INSTALLATION BOX WITH SIPHON

- Right/left reversible rear funnel conveyor with double side coupling Ø 16 - Ø 20
- Protection grille
- Adjustable template fastening plates
- Built-in spirit level
- Anti-condensation cavity
- Built-in siphon with hermetic cover
- Interlocking cover or with screws




## COMPACT SPLIT CLASSIC



### BUILT-IN INSTALLATION BOX WITH SIPHON

- Right/left reversible rear funnel conveyor with double side coupling Ø 16 - Ø 20
- Protection grille
- Interlocking cover or with screws






## EVO SPLIT MAXI

### BUILT-IN INSTALLATION BOX

- Rear conveyor with 4 outlets
- 2 side outlets Ø 16 - Ø 20
- 2 vertical outlets Ø 20
- Protection grille
- Anti-condensation cavity
- Anti-plaster cardboard
- Interlocking cover or with screws



## CONDENSATE DRAIN PIPE REINFORCED BY UNDER-TRACT Ø 18 SINGLE CLADDING WITH O-RING

- Suitable for flush installations
- Push-fit on built-in installation box
- Low density anti-UVA polyethylene
- Sleeve Ø 16 - 16 / 18 - 18 every 52 cm
- Roll 50 m
- 30 o-rings supplied
- Single blue coating




Double coating  
anti UV rays



## EVO SPLIT

### BUILT-IN INSTALLATION BOX

- Rear conveyor with 4 outlets
- 2 side outlets Ø 16 - Ø 20
- 2 vertical outlets Ø 20
- Protection grille
- Anti-condensation cavity
- Interlocking cover or with screws



## CONDENSATE DRAIN PIPE REINFORCED BY UNDER-TRACT Ø 20 SINGLE CLADDING WITH O-RING

- Suitable for flush installations
- Push-fit on built-in installation box
- Low density anti-UVA polyethylene
- Sleeve Ø 18 - 18 / 20 - 20 every 52 cm
- 30 o-rings supplied
- Single white coating



Double coating  
anti UV rays



## BOXCLIMA SPLIT PLUS

### BUILT-IN INSTALLATION BOX

- Made of premium polystyrene
- Conveyor with 2 Ø 20 side outlets with O-ring supplied
- Anti-condensation neoprene band
- Interlocking cover with screws
- Fastening template
- Reducer Ø 16 - 18 with O-ring




## BLUE CONDENSATE DRAIN PIPE REINFORCED BY UNDER-TRACK Ø 20 SINGLE CLADDING - SLEEVES Ø 18/20

- Suitable for flush installations
- Push-fit on built-in installation box
- No need for O-ring
- Anti-UVA high-density polyethylene
- Sleeve Ø 18 / 20 every 52 cm
- Ultra-flexible 50m roll or ultra-flexible 25 m mini-roll
- Single blue coating



Double coating  
anti UV rays



## RIGID CONDENSATE DRAIN PIPE



- Shockproof and anti-UVA PVC
- Anti-condensation
- Thickness 2 mm
- Accessories with internal O-rings

Anti-condensation

Available in 2m bars




TCR-32

TCR-25

TCR-21

### ACCESSORIES



## TCR-21 ECO

### RIGID CONDENSATE DRAIN PIPE



- Shockproof and anti-UVA PVC
- Anti-condensation
- Thickness 2 mm
- Accessories with internal O-rings

Anti-condensation

Available in 2m bars



TCR-21

### ACCESSORIES



#### Tecnosystemi S.p.A. Società Benefit

PLANT 1 – Via dell'Industria, 2/4 | PLANT 2 – Via Caduti del Lavoro, 7 | PLANT 3 – Via Caduti del Lavoro, 5

Z.i. San Giacomo di Veglia - 31029 Vittorio Veneto (TV)

Tel. +39 0438.500044 | [info@tecnosystemi.com](mailto:info@tecnosystemi.com) | [www.tecnosystemi.com](http://www.tecnosystemi.com)

C.F. - P.IVA - R.I. TV IT02535780247 - Cap. Soc. € 5.000.000,00 i.v.

