

BEV-BO

two-stage vacuum pump with solenoid valve and oil bath vacuum gauge for gas R32

TSC100010 - TSC100011 - TSC100012
TSC100013 - TSC100018 - TSC100019



TECHNICAL SPECIFICATIONS:

- Two-stage pump
- Vacuum rating 0.3 Pa/25 μ
- Built-in non-return valve
- Solenoid valve
- Power supply 230V - 50Hz
- 1/4" SAE - 3/8" SAE pump coupling, depending on the model
- Oil bath vacuum gauge \varnothing 63 mm
- Can be used with all types of gas, even with R32

TECHNICAL DATA

MODEL	FLOW RATE [l/min]	DEGREE OF VACUUM	POWER [hp]	FLEXIBLE HOSE COUPLER	OIL TANK CAPACITY [ml]	WEIGHT [kg]
TS42 BEVBO	42	0.3 Pa/25 μ	1/4	1/4"	180	6,3
TS70 BEVBO	70	0.3 Pa/25 μ	1/3	1/4"	280	7,3
TS128 BEVBO	128	0.3 Pa/25 μ	1/2	1/4" - 3/8"	350	11,8
TS170 BEVBO	170	0.3 Pa/25 μ	3/4	1/4" - 3/8"	500	14
TS100 BEVBO	100	0.3 Pa/25 μ	1/3	1/4" - 3/8"	360	11
TS226 BEVBO	226	0.3 Pa/25 μ	1	1/4" - 3/8"	600	15,5

ITEMS

CODE	DESCRIPTION
TSC100010	"TS42 BEVBO" - TWO-STAGE VACUUM PUMP FOR R32 GAS
TSC100011	"TS70 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS
TSC100012	"TS128 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS
TSC100013	"TS170 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS
TSC100018	"TS100 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS
TSC100019	"TS226 BEVBO" TWO-STAGE VACUUM PUMP FOR R32 GAS