

# DATASHEET

rev. 00 - 20/10/2022

90° elbow in EPS for MVHR Ø125 / Ø160

ACC600037 - ACC600038




## TECHNICAL SPECIFICATIONS MOD. Ø 125

- Grey colour EPS insulated elbow
- Wall thickness: 15.5mm
- Weight: 0,2 kg;
- Dimensions: 278 x 156 x 278 mm
- internal Ø: 125 mm
- Temperature range -25 / +80 (C°)
- Maximum air flow: 275 m<sup>3</sup>/h
- Thermal resistance: 0.032 m<sup>2</sup>K/W

## TECHNICAL SPECIFICATIONS MOD. Ø 160

- Grey colour EPS insulated elbow
- Wall thickness: 15.5mm
- Weight: 0,24 kg
- Dimensions: 295 x 191 x 295 mm
- internal Ø: 160 mm
- Temperature range -25 / +80 (C°)
- Maximum air flow: 425 m<sup>3</sup>/h
- Thermal resistance: 0.032 m<sup>2</sup>K/W



## DIMENSIONS

CODE	A [mm]	B [mm]	C [mm]	C1 [mm]	D [mm]	E [mm]
ACC600037	119	56	156	125	278	278
ACC600038	154	56	191	160	295	295

## ITEMS

CODE	DESCRIPTION
ACC600037	
ACC600038	