

EXCELLENS TMQ

flanged square wall terminal

- cod. SCD100273 - cod. SCD100275 - cod. SCD100277
- cod. SCD100279 - cod. SCD100281 - cod. SCD100283
- cod. SCD100285 - cod. SCD100287 - cod. SCD100289
- cod. SCD100291 - cod. SCD100293 - cod. SCD100295
- cod. SCD100297 - cod. SCD100299 - cod. SCD100301
- cod. SCD100303 - cod. SCD100305 - cod. SCD100307



DESCRIPTION

Flanged round wall-mounted terminal for ducts of the EXCELLENS series, in high impact resistance plastic, recyclable.

The terminal was designed with a quick and easy slot-in fixing system.

The wall terminal has a large external flange with an innovative square shape, pre-cut slots for the discharge pipe outfeed and 3 pre-cut holes for wall fixing if required.

The characteristics of the innovative material allow it to be used with temperatures ranging from -20°C to +60°C for whites and from -20°C to +75°C for colours.

APPLICATIONS

Conditioning systems.

Wall installation both indoors and outdoors.

AVAILABLE MODELS



TOP LINE -
IVORY



NEW LINE -
WHITE




ECO LINE -
PEARL GREY
RAI 9003



BROWN LINE -
BROWN



BLACK LINE -
BLACK



DIMENSIONS

CODE	MODEL	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]
SCD100273	TMQ EXC 60 TOP LINE	67	56	180	103	68
SCD100275	TMQ EXC 72 TOP LINE	78	68	200	117	78
SCD100277	TMQ EXC 100 TOP LINE	102	78	225	142	92
SCD100279	TMQ EXC 60 NEW LINE	67	56	180	103	68
SCD100281	TMQ EXC 72 NEW LINE	78	68	200	117	78
SCD100283	TMQ EXC 100 NEW LINE	102	78	225	142	92
SCD100285	TMQ EXC 60 ECO LINE	67	56	180	103	68
SCD100287	TMQ EXC 72 ECO LINE	78	68	200	117	78
SCD100289	TMQ EXC 100 ECO LINE	102	78	225	142	92
SCD100291	TMQ EXC 60 BROWN LINE	67	56	180	103	68
SCD100293	TMQ EXC 72 BROWN LINE	78	68	200	117	78
SCD100295	TMQ EXC 100 BROWN LINE	102	78	225	142	92
SCD100297	TMQ EXC 60 BLACK LINE	67	56	180	103	68
SCD100299	TMQ EXC 72 BLACK LINE	78	68	200	117	78
SCD100301	TMQ EXC 100 BLACK LINE	102	78	225	142	92
SCD100303	TMQ EXC 60 GREY LINE	67	56	180	103	68
SCD100305	TMQ EXC 72 GREY LINE	78	68	200	117	78
SCD100307	TMQ EXC 100 GREY LINE	102	78	225	142	92

PERNO ANTISCIVOLO




Sul guscio superiore del terminale è presente un piccolo perno.


Forare la canalina Ø6 per favorire l'aggancio al perno. Questo accorgimento evita che il coperchio della canalina possa scivolare nelle installazioni verticali.




ESEMPIO

1



2





Se il perno non è utilizzato rimuoverlo con una pinza o un tronchese.

ITEMS

CODE	DESCRIPTION
SCD100273	"EXCELLENS TMQ" SQUARE WALL COVER - TOP LINE - TMQ 60-EXC
SCD100275	"EXCELLENS TMQ" SQUARE WALL COVER - TOP LINE - TMQ 72-EXC
SCD100277	"EXCELLENS TMQ" SQUARE WALL COVER - TOP LINE - TMQ 100-EXC
SCD100279	"EXCELLENS TMQ" SQUARE WALL COVER - NEW LINE WHITE - TMQ 60-EXC
SCD100281	"EXCELLENS TMQ" SQUARE WALL COVER - NEW LINE WHITE - TMQ 72-EXC
SCD100283	"EXCELLENS TMQ" SQUARE WALL COVER - NEW LINE WHITE - TMQ 100-EXC
SCD100285	"EXCELLENS TMQ" SQUARE WALL COVER - ECO LINE - TMQ 60-EXC
SCD100287	"EXCELLENS TMQ" SQUARE WALL COVER - ECO LINE - TMQ 72-EXC
SCD100289	"EXCELLENS TMQ" SQUARE WALL COVER - ECO LINE - TMQ 100-EXC
SCD100291	
SCD100293	
SCD100295	
SCD100297	
SCD100299	
SCD100301	
SCD100303	
SCD100305	"EXCELLENS TMQ" SQUARE WALL COVER - GREY LINE - TMQ 72-EXC
SCD100307	"EXCELLENS TMQ" SQUARE WALL COVER - GREY LINE - TMQ 100-EXC

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.

