

OPTIMA MG

coupling sleeve

- cod. SCD100140 - cod. 11106028 - cod. 11106029
- cod. 11106027 - cod. SCD100117 - cod. SCD100433
- cod. SCD100435 - cod. SCD100436 - cod. SCD100389
- cod. SCD100390 - cod. SCD100403



TECHNICAL SPECIFICATIONS:

- High impact resistance plastic, recyclable
- Innovative design
- Ultra-fast interlocking fastening system
- Extremely high outer finish
- Heat shrink barcode packaging
- Paintable
- Operating temperature -20°C / +60°C
- Coloured operating temperature -20°C / +75°C

MODELS AVAILABLE:




WHITE RAL 9010



ANTHRACITE
GREY



BLACK



DIMENSIONS

CODE	MODEL	A [mm]	B [mm]	C [mm]
SCD100140	MG 35 - OPT W	35	28	23
11106028	MG 62 - OPT W	66	48	50
11106029	MG 75 - OPT W	78	58	55
11106027	MG 102 - OPT W	104	68	70
SCD100117	MG 135 - OPT W	140	84	75
SCD100433	MG 75 - OPT	78	58	55
SCD100435	MG 102 - OPT G	104	68	70
SCD100436	MG 135 - OPT G	140	84	75
SCD100389	MG 75 - OPT B	78	58	55
SCD100390	MG 102 - OPT B	104	68	70
SCD100403	MG 135 - OPT B	140	84	75

ITEMS

CODE	DESCRIPTION
SCD100140	"OPTIMA MG" COUPLING SLEEVE - WHITE - MG35-OPT
11106028	"OPTIMA MG" COUPLING SLEEVE - WHITE - MG62-OPT
11106029	"OPTIMA MG" COUPLING SLEEVE - WHITE - MG75-OPT
11106027	"OPTIMA MG" COUPLING SLEEVE - WHITE - MG102-OPT
SCD100117	"OPTIMA MG" COUPLING SLEEVE - WHITE - MG135-OPT
SCD100433	"OPTIMA MG" COUPLING SLEEVE - ANTHRACITE GREY - MG75-OPT
SCD100435	"OPTIMA MG" COUPLING SLEEVE - ANTHRACITE GREY - MG102-OPT
SCD100436	"OPTIMA MG" COUPLING SLEEVE - ANTHRACITE GREY - MG135-OPT
SCD100389	"OPTIMA MG" COUPLING SLEEVE - BLACK - MG75-OPT - MG75-OPT
SCD100390	"OPTIMA MG" COUPLING SLEEVE - BLACK - MG102-OPT - MG102-OPT
SCD100403	"OPTIMA MG" COUPLING SLEEVE - BLACK - MG135-OPT - MG135-OPT

All rights relating to this publication are the exclusive property of Tecnosystemi SpA.
Tecnosystemi SpA reserves the right to make changes at any time and without notice, for technical or commercial needs.

